

CODEBOOK

Michigan State of the State XI
952 cases

Weight Variable: statewt

CONTENTS

item		page
ID1	Case Number	1
R1	Data Record I	1
cnty	County Code	1
regn	Region Code	1
samp	Sample	2
dgt1	Digit 1	2
dgt2	Digit 2	2
lsdg	Last Digit	3
CC1	Current Financial	3
CC2	Future Financial	4
CC3	Household Financial	4
CC4	Inflation Rate	5
CC5	Unemployment Rate	5
CC6	Business Conditions	6
PO1	Clinton Approval	6
PO2	Engler Approval	7
PQ1	Gov't Role Childcare	7
PQ2	Welfare-Childcare	8
PQ3	Parent Home	9
CON1	Confidence-Advertising	10
CON2	Confidence-TV/Newspapers Reporters	11
CON3	Confidence-Elected Officials	12
CON4	Confidence-Research Scientists	13
CON5	Confidence-Psychiatrists	14
CN6a	Confidence-Law Enforcement	15
CN6b	Confidence-Social Workers	16
CON7	Confidence-General Prac Phys	17
CON9	Confidence-Specialist Phys	18
CN10	Confidence-Lab Techs	19
CN11	Confidence-Med Researchers	20
CN12	Confidence-Pharmaceutical Comps	21
CN13	Confidence-Insurance Comp	22
CN14	Confidence-Nurses	23
in1a	Main Health Info Source	24
INF2	Second Source	25
INF4	Reliability Information	26
INF5	Most Reliable Source	27
INF6	Contradicting Info	28
INF7	Reporting Issues	28
RC1	Excercise	29
RC1a	Recommend Exercise	29
RC2	Mamograms	30
RC2a	Recommend Mammograms	30
RC3	Smoking	31
RC3a	Recommend Smoking	31
ID2	Case Number	31
RC4	Alcoholic Beverages	32
RC4a	Recommend Alcohol	32
RC5	Estrogen	33

item		page
RC5a	Recommend Estrogen	33
EXB	Medication-Bone Disease	34
EX10	Double Breast Cancer Risk	34
EX20	Reduce Risk Heart Disease	35
EX30	Increase Odds 2-10,000	35
EX40	Reduce Heart 1-500	36
EX04	Double Cancer/Reduce Heart	36
EX12	Reduce Heart/Double Cancer	37
EX08	Reduce Heart/Increase Risk Cancer	37
EX16	Reduce Heart/Increase Risk Cancer	38
Q1	Rate Health	38
Q2	Physical Health	39
Q3	Emotional Health	40
Q4	Health Prevent Activities	41
Utl1	Main Source Health Care	42
Utl2	Last Visit-Injury/Illness	42
Utl3	Last Check Up	43
Utl4	Last-ER Visit	43
Utl5	Last Urgent Care	44
Utl6	Last Hospital Stay	44
Utl7	Last Lab Tests	45
Utl8	Last Xrays	45
Utl9	Satisfaction Health Care	46
BR1	Physical Exercise	46
BR3	Smoke 100 Cigs	47
BR4	Current Smoker	47
BR5	Drink Alcohol	47
BR6	Frequency Drink	48
BR7	Days Drinks	48
BR8	Number Drinks	49
BR9	Weight	49
BR10	Height	50
BR11	Gender	51
BR12	Mammogram	51
BR13	Last Mammogram	52
BR14	Reason Mammogram	52
CD1	Gender	53
CD2	Year Born	53
CD3	Education	54
CD4	Race	54
CD5	Ethnicity	55
CD6	Religion	55
CD7	Party ID	56
CD7A	Republican	56
CD7B	Democrat	57
CD7C	Independent	57
CD7D	Other Party	58
ptid	Party ID Collapsed	58
CD8	Marital Status	59
ID3	Case ID	59
R3	Data Record III	59
CD10	Adults	60

item		page
CD11	Adults 65 Over	60
CD12	Children	61
CD13	Children Under 5	61
GRF1	Child Care Under 5	62
GRF2	Reason Care (under 5)	63
GRF3	Satisfaction Care (under 5)	63
GR4	Care Prefer (under 5)	64
GRF5	Childcare 5-17	65
GRF6	Reason Care (5-17)	66
GRF7	Satisfaction Care (5-17)	66
GR8	Prefer Care (5-17)	67
GR9	Transportation	67
GR10	Problems Transportation	68
CD14	Total Children	68
D14a	Housing Status	69
D16	Length Residency	69
D16a	Moves 10 Years	70
D16b	Type Community	70
CD15	Employment	71
CD17	Multiple Jobs	71
CD18	Hours Main Job	72
CD19	Hours Other Job	73
CD20	Looking Work	74
CD22	Work Status	74
CD23	Wage Structure	75
CD21	Main Job	75
INC1	More \$30,000	76
INC2	More \$20,000	76
inca	More \$25,000	77
INC3	More \$10,000	77
incb	More \$15,000	77
INC4	More \$60,000	78
INC5	More \$40,000	78
incc	More \$35,000	78
INC6	More \$50,000	79
INC7	More \$80,000	79
ID4	Case Number	79
R4	Data Record IV	80
INC8	More \$70,000	80
INC9	More \$100,000	80
NC10	More than \$90,000	81
NC11	More \$110,000	81
INC	Income Collapsed	82
CD25	Salary	82
CD26	Phone Numbers	83
FNL1	Final Disposition	83
DAT1	Interview Date	84
TCT1	Contacts Before Interview	86
INV1	Interviewer	87
TIM1	Length Interview	88
agecat	Rs age in categories	89
adjwt	Weight adj for phones adults race gender	89

item		page
msuewt	weight by MSU region	89
statewt	Weight for Statewide Estimates	89
race	Race 3 categories	90
age	Respondents Age (1997-birth year)	90

ID1 Case Number

952 cases

Type: numeric Min: 10002 MD Codes: none
Decimals: 0 Max: 75310

Input location: 1/1-5

R1 Data Record I

PCT	N	VALUE	LABEL
100.0	952	1	

		952 cases	

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 1

Input location: 1/6

cnty County Code

952 cases

Type: numeric Min: 26003 MD Codes: none
Decimals: 0 Max: 26165

Input location: 1/7-11

regn Region Code

PCT	N	VALUE	LABEL
3.4	33	1	upper penn
4.3	41	2	northern
13.3	127	3	west central
14.1	134	4	southwest
8.6	82	5	east central
45.6	434	6	southeast
10.6	101	7	Detroit

		952 cases	

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 7

Input location: 1/12

samp Sample

PCT	N	VALUE	LABEL
40.6	386	1	genesys
59.4	566	2	ssi

952 cases			

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 2

Input location: 1/13

dgt1 Digit 1

PCT	N	VALUE	LABEL
26.6	253	1	
22.3	212	2	
23.5	223	3	
27.7	264	4	

952 cases			

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 4

Input location: 1/14

dgt2 Digit 2

PCT	N	VALUE	LABEL
46.7	445	1	
53.3	507	2	

952 cases			

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 2

Input location: 1/15

lsdg Last Digit

PCT	N	VALUE	LABEL
7.0	67	0	
9.0	86	1	
10.5	100	2	
9.7	93	3	
9.5	91	4	
9.4	90	5	
8.5	81	6	
12.3	117	7	
9.9	95	8	
14.1	134	9	

	952	cases	

Type: numeric Min: 0 MD Codes: none
 Decimals: 0 Max: 9

Input location: 1/16

CC1 Current Financial

I'd like to start by asking you a few questions about how things are going for Michigan residents in general.

Would you say that you (and your family living there) are better off or worse off financially than you were a year ago?

PCT	N	VALUE	LABEL
49.8	461	1	BETTER OFF
30.6	284	3	ABOUT THE SAME (R PROVIDED)
19.6	181	5	WORSE OFF
	17	8	DO NOT KNOW
	9	9	REFUSED/NO ANSWER

	952	cases	

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/17

CC2 Future Financial

Now looking ahead, do you think that a year from now, you
(and your family living there) will be better off
financially or worse off financially?

PCT	N	VALUE	LABEL
61.7	549	1	BETTER OFF
26.5	236	3	ABOUT THE SAME (R PROVIDED)
11.8	105	5	WORSE OFF
	59	8	DO NOT KNOW
	3	9	REFUSED/NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/18

CC3 Household Financial

How would you rate your household's overall financial
situation these days?

Would you say it is excellent, good, just fair, not so
good, or poor?

PCT	N	VALUE	LABEL
10.0	95	1	EXCELLENT
53.7	507	2	GOOD
26.4	250	3	JUST FAIR
	4.7	45	4 NOT SO GOOD
	5.1	48	5 POOR
		7	8 DO NOT KNOW
		1	9 REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/19

CC4 Inflation Rate

During the next twelve months, do you think the rate of inflation in this country will go up, will go down, or will stay about the same as it was in the last 12 months?

PCT	N	VALUE	LABEL
55.7	504	1	UP
42.8	387	3	ABOUT THE SAME
1.5	14	5	DOWN
	47	8	DO NOT KNOW
	0	9	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/20

CC5 Unemployment Rate

Twelve months from now, do you expect the unemployment situation in this country to be better than, worse than, or about the same as it was in the last 12 months?

PCT	N	VALUE	LABEL
19.5	180	1	BETTER
57.6	532	3	ABOUT THE SAME
22.8	211	5	WORSE
	28	8	DO NOT KNOW

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/21

CC6 Business Conditions

Now turning to business conditions in your community, do you think that during the next twelve months your community will have good times financially, or bad times financially?

PCT	N	VALUE	LABEL
75.2	677	1	GOOD TIMES
11.1	100	3	NEITHER GOOD NOR BAD; MEDIOCRE STAY THE SAME(R PRO
13.7	123	5	BAD TIMES
	50	8	DO NOT KNOW
	1	9	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/22

PO1 Clinton Approval

Now, I have a few questions about the performance of various public officials and branches of government.

How would you rate the way Bill Clinton is performing his job as President -- would you say excellent, good, fair, or poor?

PCT	N	VALUE	LABEL
6.2	58	1	EXCELLENT
41.4	389	2	GOOD
35.5	334	3	FAIR
16.9	159	4	POOR
	6	8	DON'T KNOW
	6	9	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 1/23

P02 Engler Approval

How would you rate the way John Engler is performing his job as Michigan's governor -- (would you say excellent, good, fair, or poor?)

PCT	N	VALUE	LABEL
11.6	108	1	EXCELLENT
34.2	318	2	GOOD
30.2	281	3	FAIR
23.9	222	4	POOR
	21	8	DON'T KNOW
	2	9	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 1/24

PQ1 Gov't Role Childcare

Now I'm going to ask you some questions about child care and how it relates to welfare reform.

In general, what role do you think the government should have in regulating child care? Do you think it should . . .

PCT	N	VALUE	LABEL
25.0	223	1	Regulate for minimal standards of health, safety,
9.7	86	2	Regulate for educational value, or
43.5	388	3	Act to improve safety, health, and education
21.8	195	4	Do you think government should have no role at all
	43	8	DON'T KNOW
	17	9	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 1/25

PQ2 Welfare-Childcare

To the best of your knowledge, how difficult or easy is it for persons trying to get off welfare to find adequate child care in the area

where

you live?

Would you say it is very difficult, somewhat difficult, somewhat easy, or very easy?

PCT	N	VALUE	LABEL
24.5	191	1	VERY DIFFICULT
40.5	316	2	SOMEWHAT DIFFICULT
0.9	7	3	NEITHER EASY NOR DIFFICULT (R PROVIDES)
24.7	193	4	SOMEWHAT EASY
9.4	74	5	VERY EASY
	164	8	DON'T KNOW
	7	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/26

PQ3

Parent Home

In your opinion, for how many months after birth do you think young children need to have a parent stay home with them?

PCT	N	VALUE	LABEL
29.6	275	0	MONTHS
1.2	11	1	
3.6	33	2	
7.8	73	3	
1.0	9	4	
1.9	17	5	
10.6	99	6	
0.1	1	8	
1.0	10	9	
0.5	5	10	
0.7	7	11	MONTHS
20.8	193	12	THE FIRST YEAR
1.6	15	18	18 MONTHS
9.2	86	24	THE FIRST TWO YEARS
10.3	95	75	UNTIL START SCHOOL
	18	98	DON'T KNOW
	5	99	REFUSED - NO ANSWER

952 cases

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 75

Input location: 1/27-28

CON1 Confidence-Advertising

Now I'd like to ask you about your confidence in several different kinds of professionals and organizations. I'd like you to think about how much you trust each to act responsibly, to do what's right, to be truthful, and to be dependable.

On a scale from one to ten, where one is no confidence at all and ten is almost total confidence, how much confidence do you now have in advertisers?

PCT	N	VALUE	LABEL
15.5	146	1	NO CONFIDENCE AT ALL
7.1	67	2	SOME CONFIDENCE
13.3	125	3	
13.5	127	4	
32.2	303	5	
6.3	59	6	
7.2	68	7	
3.6	34	8	
0.5	5	9	SOME CONFIDENCE
0.8	7	10	ALMOST TOTAL CONFIDENCE
		9	DON'T KNOW
		2	99 REFUSED - NO ANSWER

		952	cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/29-30

CON2 Confidence-TV/Newspapers Reporters

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In reporters for newspapers and television?

PCT	N	VALUE	LABEL
8.3	79	1	NO CONFIDENCE AT ALL
8.2	77	2	SOME CONFIDENCE
12.0	113	3	
10.5	100	4	
24.1	227	5	
11.5	109	6	
12.5	118	7	
8.1	76	8	
2.2	21	9	SOME CONFIDENCE
2.6	25	10	ALMOST TOTAL CONFIDENCE
	7	98	DON'T KNOW
	0	99	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/31-32

CON3 Confidence-Elected Officials

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In elected officials, like mayors, city councilmen, and legislators?

PCT	N	VALUE	LABEL
7.7	71	1	NO CONFIDENCE AT ALL
5.5	51	2	SOME CONFIDENCE
9.6	89	3	
12.2	113	4	
34.1	316	5	
11.3	105	6	
9.9	92	7	
7.0	65	8	
0.9	8	9	SOME CONFIDENCE
1.8	17	10	ALMOST TOTAL CONFIDENCE
	21	98	DON'T KNOW
	4	99	REFUSED - NO ANSWER

952 cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/33-34

CON4 Confidence-Research Scientists

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In research scientists in fields such as chemistry, biology, astronomy, and genetics?

PCT	N	VALUE	LABEL
2.0	18	1	NO CONFIDENCE AT ALL
1.7	16	2	SOME CONFIDENCE
1.6	15	3	
5.9	54	4	
11.6	106	5	
10.8	98	6	
19.9	181	7	
26.3	240	8	
10.8	99	9	SOME CONFIDENCE
9.3	85	10	ALMOST TOTAL CONFIDENCE
	38	98	DON'T KNOW
	3	99	REFUSED - NO ANSWER

		952	cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/35-36

CON5 Confidence-Psychiatrists

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In psychiatrists and clinical psychologists

PCT	N	VALUE	LABEL
7.1	63	1	NO CONFIDENCE AT ALL
5.1	45	2	SOME CONFIDENCE
8.5	77	3	
7.6	68	4	
22.3	199	5	
11.1	100	6	
17.9	160	7	
14.5	130	8	
3.4	30	9	SOME CONFIDENCE
2.6	23	10	ALMOST TOTAL CONFIDENCE
	51	98	DON'T KNOW
	5	99	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/37-38

CN6a Confidence-Law Enforcement

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In law enforcement officials, such as police or sheriff deputies?

PCT	N	VALUE	LABEL
4.7	24	1	NO CONFIDENCE AT ALL
5.3	27	2	SOME CONFIDENCE
2.1	11	3	
5.0	25	4	
15.6	79	5	
15.0	76	6	
20.3	103	7	
17.5	88	8	
8.0	40	9	SOME CONFIDENCE
5.5	28	10	ALMOST TOTAL CONFIDENCE
0.9	5	98	DON'T KNOW
	445	0	NOT APPLICABLE
	2	99	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
Decimals: 0 Max: 98

Input location: 1/39-40

CN6b Confidence-Social Workers

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In social workers?

PCT	N	VALUE	LABEL
5.8	26	1	NOT APPLICABLE
4.0	18	2	SOME CONFIDENCE
5.2	23	3	
9.4	42	4	
20.2	89	5	
12.0	53	6	
16.0	71	7	
13.9	62	8	
5.9	26	9	SOME CONFIDENCE
5.8	26	10	ALMOST TOTAL CONFIDENCE
1.8	8	98	DON'T KNOW
	507	0	
	1	99	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 1/41-42

CON7 Confidence-General Prac Phys

Now I'd like to ask you the same sort of question about professionals and organizations involved in health care.

Once again, on a scale from one to ten (where one is no confidence at all and ten is almost total confidence), how much confidence do you now have In general practice physicians?

PCT	N	VALUE	LABEL
2.1	19	1	NO CONFIDENCE AT ALL
1.8	17	2	SOME CONFIDENCE
2.4	23	3	
4.9	46	4	
14.5	136	5	
10.4	98	6	
21.3	200	7	
29.2	275	8	
6.8	64	9	SOME CONFIDENCE
6.6	62	10	ALMOST TOTAL CONFIDENCE
	10	98	DON'T KNOW
	1	99	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/43-44

CON9 Confidence-Specialist Phys

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In specialist physicians, such as surgeons, cardiologists, neurologists, obstetricians, and radiologists?

PCT	N	VALUE	LABEL
1.1	10	1	NO CONFIDENCE AT ALL
1.6	14	2	SOME CONFIDENCE
2.2	20	3	
2.5	24	4	
7.2	67	5	
6.8	63	6	
15.4	143	7	
32.5	302	8	
18.7	174	9	SOME CONFIDENCE
12.0	112	10	ALMOST TOTAL CONFIDENCE
	20	98	DON'T KNOW
	3	99	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 10

Input location: 1/45-46

CN10 Confidence-Lab Techs

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In medical lab technicians and technologists?

PCT	N	VALUE	LABEL
0.5	5	1	NO CONFIDENCE AT ALL
1.3	12	2	SOME CONFIDENCE
1.6	15	3	
4.5	42	4	
12.1	113	5	
13.5	126	6	
20.1	187	7	
25.6	239	8	
12.0	112	9	SOME CONFIDENCE
9.0	84	10	ALMOST TOTAL CONFIDENCE
	17	98	DON'T KNOW
	1	99	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/47-48

CN11 Confidence-Med Researchers

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In medical researchers?

PCT	N	VALUE	LABEL
1.2	11	1	NO CONFIDENCE AT ALL
1.7	16	2	SOME CONFIDENCE
1.5	13	3	
4.0	36	4	
11.7	106	5	
9.6	87	6	
20.2	183	7	
26.2	237	8	
14.5	132	9	SOME CONFIDENCE
9.5	86	10	ALMOST TOTAL CONFIDENCE
	43	98	DON'T KNOW
	2	99	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 10

Input location: 1/49-50

CN12 Confidence-Pharmaceutical Comps

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In pharmaceutical or drug companies?

PCT	N	VALUE	LABEL
3.5	33	1	NO CONFIDENCE AT ALL
2.8	26	2	SOME CONFIDENCE
5.4	51	3	
7.0	65	4	
17.3	161	5	
12.3	115	6	
18.6	174	7	
16.7	156	8	
10.2	95	9	SOME CONFIDENCE
6.2	58	10	ALMOST TOTAL CONFIDENCE
	17	98	DON'T KNOW
	1	99	REFUSED - NO ANSWER

	952	cases	

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/51-52

CN13 Confidence-Insurance Comp

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In health care insurance companies?

PCT	N	VALUE	LABEL
9.4	88	1	NO CONFIDENCE AT ALL
7.6	71	2	SOME CONFIDENCE
8.1	76	3	
12.0	112	4	
21.0	196	5	
13.2	123	6	
10.4	97	7	
10.9	101	8	
3.6	33	9	SOME CONFIDENCE
3.9	36	10	ALMOST TOTAL CONFIDENCE
	15	98	DON'T KNOW
	2	99	REFUSED - NO ANSWER

		952	cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/53-54

CN14 Confidence-Nurses

(On a scale from one to ten where one is no confidence at all and ten is almost total confidence, how much confidence do you now have . . .)

In hospital nurses?

PCT	N	VALUE	LABEL
1.0	10	1	NO CONFIDENCE AT ALL
0.8	7	2	SOME CONFIDENCE
2.2	21	3	
2.2	21	4	
7.8	74	5	
9.1	86	6	
17.3	163	7	
30.1	283	8	
16.7	157	9	SOME CONFIDENCE
12.7	119	10	ALMOST TOTAL CONFIDENCE
		10	98 DON'T KNOW
		1	99 REFUSED - NO ANSWER

		952	cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 1/55-56

inla Main Health Info Source

Now I'd like to ask you a few questions about where you get information about health. People can get information about health from friends, newspapers, magazines, television, brochures, doctors, nurses, teachers, other family members, or from other sources. Now thinking about the information you've gotten over the past few years about health, regardless how reliable you think it is, from what source would you say you've gotten the most health information?

PCT	N	VALUE	LABEL
7.9	75	1	FRIENDS
6.2	58	2	NEWSPAPERS
16.2	153	3	MAGAZINES
11.3	106	4	TELEVISION
4.6	43	5	BROCHURES
18.7	177	6	DOCTORS
4.7	45	7	NURSES
1.8	17	8	TEACHERS
10.0	95	9	FAMILY MEMBERS
0.3	3	10	NEWSLETTERS
2.6	25	11	BOOKS
3.2	30	12	EMPLOYERS/WORK
1.3	12	13	PERSONAL EXPERIENCE
0.4	4	14	OTHER HEALTH CARE WORKERS
1.9	18	15	LIBRARY RESRCH, SCI JOURNALS
0.3	3	16	CO-WORKERS
0.2	2	17	UNIVERSITIES
0.7	7	18	HOSPITALS
0.9	9	19	RADIO
1.0	9	20	EDUCATION
0.4	4	21	NEWS MEDIA
1.4	13	22	HEALTH ORGS.-AGENCIES (I.E., ss)
0.8	7	23	INSURANCE CO. OR PLAN
0.3	2	24	INTERNET
0.4	3	25	ALL COMBINED
2.5	24	90	MISCELLANEOUS OTHER
	7	98	DON'T KNOW
	1	99	REFUSED - NO ANSWER

952 cases

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 90

Input location: 1/57-58

INF2 Second Source

Regardless how reliable you think it is, from which source would you say you've gotten the second greatest amount of health information?

(Friends, newspapers, magazines, television, brochures, doctors, nurses, teachers, other family members, or some other source)?

PCT	N	VALUE	LABEL
11.1	104	1	FRIENDS
11.6	109	2	NEWSPAPERS
13.8	129	3	MAGAZINES
17.0	159	4	TELEVISION
4.2	40	5	BROCHURES
15.0	141	6	DOCTORS
3.3	31	7	NURSES
0.4	3	8	TEACHERS
9.3	87	9	FAMILY MEMBERS
0.1	1	10	NEWSLETTERS
2.2	20	11	BOOKS
1.1	10	12	EMPLOYERS/WORK
0.9	8	13	PERSONAL EXPERIENCE
1.0	9	14	OTHER HEALTH CARE WORKERS
1.6	15	15	LIBRARY RESRCH, SCI JOURNALS
0.1	1	16	CO-WORKERS
0.9	9	18	HOSPITALS
0.3	3	19	RADIO
1.1	10	20	EDUCATION
0.2	2	21	NEWS MEDIA
0.5	5	22	HEALTH ORGS.-AGENCIES (I.E., ss)
0.4	4	23	INSURANCE CO. OR PLAN
0.3	3	24	INTERNET
3.6	34	90	MISCELLANEOUS OTHER
	16	98	DON'T KNOW
	2	99	REFUSED - NO ANSWER

952 cases

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 90

Input location: 1/61-62

INF4 Reliability Information

In general, how reliable or unreliable would you say most of the health information you have gotten is?

Would you say it is almost always reliable, mostly reliable, somewhat reliable, mostly unreliable, or almost always unreliable?

PCT	N	VALUE	LABEL
15.3	145	1	ALMOST ALWAYS RELIABLE
56.5	534	2	MOSTLY RELIABLE
26.4	249	3	SOMEWHAT RELIABLE
1.4	13	4	MOSTLY UNRELIABLE
0.4	4	5	ALMOST ALWAYS UNRELIABLE
		7	DON'T KNOW
		0	9 REFUSED - NO ANSWER

952 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/63

INF6 Contradicting Info

How often does it seem that one piece of health information or advice contradicts or suggests doing something just the opposite of some other new piece of health information?

Would you say never or almost never, seldom, occasionally, frequently, or always or almost always?

PCT	N	VALUE	LABEL
7.6	70	1	NEVER OR ALMOST NEVER
20.7	191	2	SELDOM
38.8	358	3	OCCASIONALLY,
25.1	232	4	FREQUENTLY
7.8	72	5	ALWAYS OR ALMOST ALWAYS
	23	8	DON'T KNOW
	7	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/66

INF7 Reporting Issues

In general, do you think that the reporting on health issues by newspapers, magazines and television mostly helps people understand health issues more clearly or mostly confuses people?

PCT	N	VALUE	LABEL
55.3	517	1	MOSTLY HELPS PEOPLE UNDERSTAND
39.9	373	2	MOSTLY CONFUSES PEOPLE
4.8	45	3	BOTH ABOUT EQUALLY (R PROVIDED)
	15	8	DON'T KNOW
	2	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 3

Input location: 1/67

RC1 Excercise

Now I'd like to ask you about a few specific health recommendations. As I read each one, I would like you to tell me if you think there are current clear and consistent guidelines or recommendations on the health recommendation -or- whether there is currently

controversy

or confusion about the recommendation.

How about the exercise?

Do you think there are clear and consistent recommendations on the amount and frequency of exercise, or do you think there is controversy or confusion on the amount and frequency of exercise?

PCT	N	VALUE	LABEL
57.8	540	1	CLEAR CONSISTENT RECOMMENDATIONS
42.2	394	2	CONTROVERSY OR CONFUSION IN RECOMMENDATIONS
	14	8	DON'T KNOW
	5	9	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 2

Input location: 1/68

RC1a Recommend Exercise

What are the recommendations regarding exercise?

PCT	N	VALUE	LABEL
46.8	251	1	MODERATE EXERCISE (20 min.) 3 TIMES PER WEEK
13.8	74	2	EXERCISE MORE THAN 3 TIMES PER WEEK
4.7	25	3	EXERCISE LONGER THAN 20 MINUTES AT A TIME
0.3	2	4	EXERCISE: LESS OFTEN, SHORTER DURATION THAN 20 MIN
4.6	24	5	EXERCISE: SPECIFIC ACTIVITY NAMED, DURATION-FREQ N
3.8	20	6	EXERCISE: EVERYBODY SHOULD DO IT
13.3	71	7	EXERCISE: OTHER UNSPECIFIC COMMENT
2.2	12	8	OTHER HEALTH COMMENT NOT ABOUT EXERCISE
6.2	33	90	MISCELLANEOUS OTHER
4.3	23	98	DON'T KNOW
	413	0	NOT APPLICABLE
	3	99	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 1/69-70

RC2 Mamograms

How about when women should start having regular mammograms and how often?

(Do you think there are current clear and consistent recommendations on mammograms or do you think there is controversy or confusion about mammograms?)

PCT	N	VALUE	LABEL
54.3	484	1	CLEAR CONSISTENT RECOMMENDATIONS
45.7	407	2	CONTROVERSY OR CONFUSION IN RECOMMENDATIONS
	55	8	DON'T KNOW
	6	9	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 2

Input location: 1/71

RC2a Recommend Mammograms

What are the recommendations regarding mammograms?

PCT	N	VALUE	LABEL
53.8	260	1	START AROUND AGE 40 (EVERY 2 YEARS IN 40'S, ANNUAL
8.5	41	2	GET EXAMS ANNUALLY (NO AGE SPECIFICATION)
14.7	71	3	GET EXAMS MORE OFTEN OR START YOUNGER THAN THE GUI
5.9	29	4	GET EXAMS LESS OFTEN OR START LATER THAN RECOMMEND
1.4	7	5	OTHER WRONG ANSWER
2.7	13	6	TOO UNSPECIFIC TO TELL
0.9	4	7	UNRELATED COMMENT
1.2	6	90	MISCELLANEOUS OTHER COMMENT 0 OTHER (#specify
10.9	53	98	DON'T KNOW
	468	0	NOT APPLICABLE
	1	99	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 1/72-73

RC3 Smoking

How about smoking?

(Do you think there are clear and consistent recommendations on smoking or do you think there is controversy or confusion about smoking?)

PCT	N	VALUE	LABEL
74.4	330	1	CLEAR CONSISTENT RECOMMENDATIONS
23.3	103	2	CONTROVERSY OR CONFUSION IN RECOMMENDATIONS
2.3	10	8	DON'T KNOW
	507	0	NOT APPLICABLE
	1	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 1/74

RC3a Recommend Smoking

What are the recommendations regarding smoking?

PCT	N	VALUE	LABEL
90.4	297	1	DO NOT SMOKE, SMOKING CAUSES CANCER
0.2	1	2	PARTIAL CORRECT: DON'T SMOKE IF PREGNANT
8.6	28	3	OTHER NEGATIVE COMMENT ABOUT SMOKING
0.3	1	4	INDIVIDUAL CHOICE
0.5	2	98	DON'T KNOW
	622	0	NOT APPLICABLE
	1	99	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 1/75-76

ID2 Case Number

952 cases

Type: numeric Min: 10002 MD Codes: none
 Decimals: 0 Max: 75310

Input location: 2/1-5

RC4 Alcoholic Beverages

How about whether drinking alcoholic beverages is good for your health?

Do you think there are clear and consistent recommendations about alcohol being good for your health or do you think there is controversy or confusion about this?

PCT	N	VALUE	LABEL
48.4	246	1	CLEAR CONSISTENT RECOMMENDATIONS
48.9	248	2	CONTROVERSY OR CONFUSION IN RECOMMENDATIONS
2.7	14	8	DON'T KNOW
	445	0	NOT APPLICABLE
	0	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/7

RC4a Recommend Alcohol

What are the current recommendations regarding alcohol?

PCT	N	VALUE	LABEL
1.2	3	1	GAVE CORRECT ANSWER
9.3	22	2	PARTIAL: SOME ALCOHOL (1 PER DAY) IS HEALTHY
4.1	10	3	PARTIAL: DON'T DRINK AND DRIVE
7.6	18	4	PARTIAL: DONT DRINK IF PREGNANT
19.8	47	5	PARTIAL: ONLY DRINK IN MODERATION
5.9	14	6	PARTIAL: 1-2 DRINKS PER DAY
14.9	35	7	DON'T DRINK AT ALL
26.7	63	8	OTHER UNSPECIFIC NEGATIVE COMMENT ABOUT ALCOHOL
5.2	12	90	MISCELLANEOUS OTHER 0 OTHER
5.3	13	98	DON'T KNOW
	706	0	NOT APPLICABLE
	9	99	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 2/8-9

RC5 Estrogen

How about whether or not women should take estrogen after menopause?

(Do you think there are current clear and consistent recommendations about estrogen replacement or do you think there is controversy or confusion about estrogen replacement?)

PCT	N	VALUE	LABEL
25.3	174	1	CLEAR CONSISTENT RECOMMENDATIONS
74.7	514	2	CONTROVERSY OR CONFUSION IN RECOMMENDATIONS
	257	8	DON'T KNOW
	6	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 2

Input location: 2/10

RC5a Recommend Estrogen

What are the current recommendations regarding estrogen replacement?

PCT	N	VALUE	LABEL
34.8	61	1	TAKE ESTROGEN UNLESS IN RELATIVELY RARE HI RISK GR
12.8	22	2	TAKE IT (ONE FORM OR ANOTHER, WITHOUT QUALIFICATIO
6.4	11	3	COMMENT SPECIFYING ITS BENEFITS OR EFFECTS
0.9	2	4	COMMENT CLOSE BUT NOT QUITE RIGHT (E.G., REPLACES
6.3	11	5	LISTEN TO, BE IN CONTACT WITH YOUR DOCTOR
0.8	1	6	DON'T TAKE IF FAMILY HISTORY OF CANCER
0.2	0	7	DEPENDS ON EXTENSIVE TESTING AND EXAMS
0.6	1	8	DON'T TAKE (UNSPECIFIC REASON)
37.2	65	98	DON'T KNOW
	778	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 2/11-12

EXB Medication-Bone Disease

Now I'd like to ask you about how you would go about deciding what to do if the recommendations are unclear.

Suppose you had a friend who was told that she was very likely to get a bone disease that would gradually make her crippled. Suppose the doctor said that there was a medication she could take on a daily basis that would greatly reduce her chances of getting the bone disease.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
75.2	626	1	TAKE THE MEDICATION (definitely vs. probably)
24.8	206	2	DO NOT TAKE THE MEDICATION (definitely vs. probab
	105	8	DON'T KNOW
	15	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 2

Input location: 2/13

EX10 Double Breat Cancer Risk

Suppose that by taking the medication she would also double her risk of breast cancer.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
21.2	52	1	TAKE THE MEDICATION (definitely vs. probably)
59.8	146	2	DO NOT TAKE THE MEDICATION (definitely vs. probab
19.0	46	8	DON'T KNOW
	699	0	NOT APPLICABLE
	8	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/14

EX20 Reduce Risk Heart Disease

Suppose that by taking the medication she would also reduce her risk of heart disease by more than half.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
73.3	154	1	TAKE THE MEDICATION (definitely vs. probably)
15.2	32	2	DO NOT TAKE THE MEDICATION (definitely vs. probab
11.5	24	8	DON'T KNOW
	740	0	NOT APPLICABLE
	2	9	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/15

EX30 Increase Odds 2-10,000

Suppose that by taking the medication she would also increase her risk of breast cancer from 1 in 10,000 to 2 in 10,000.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
49.0	106	1	TAKE THE MEDICATION (definitely vs. probably)
39.9	87	2	DO NOT TAKE THE MEDICATION (definitely vs. probab
11.0	24	8	DON'T KNOW
	729	0	NOT APPLICABLE
	7	9	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/16

EX40 Reduce Heart 1-500

Suppose that by taking the medicine she would also reduce her risk of heart disease from 1 in 200 to 1 in 500.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
71.6	188	1	TAKE THE MEDICATION (definitely vs. probably)
17.0	44	2	DO NOT TAKE THE MEDICATION (definitely vs. probab
11.5	30	8	DON'T KNOW
	688	0	NOT APPLICABLE
	2	9	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/17

EX04 Double Cancer/Reduce Hearth

heart

Suppose that by taking the medication she would reduce her risk of disease by more than half but she would double her risk of breast cancer.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
22.3	47	1	TAKE THE MEDICATION (definitely vs. probably)
60.8	127	2	DO NOT TAKE THE MEDICATION (definitely vs. probab
16.9	35	8	DON'T KNOW
	737	0	NOT APPLICABLE
	6	9	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/18

EX12 Reduce Heart/Double Cancer

Suppose that by taking the medication she would reduce her risk of heart disease from 1 in 200 to 1 in 500 but would double her risk of breast cancer.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
31.3	80	1	TAKE THE MEDICATION (definitely vs. probably)
49.6	127	2	DO NOT TAKE THE MEDICATION (definitely vs. probab
19.1	49	8	DON'T KNOW
	692	0	NOT APPLICABLE
	4	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/19

EX08 Reduce Heart/Increase Risk Cancer

Suppose that by taking the medication she would reduce her risk of heart disease by more than half but would increase her risk of breast cancer from 1 in 10,000 to 2 in 10,000.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
70.6	134	1	TAKE THE MEDICATION (definitely vs. probably)
29.4	56	2	DO NOT TAKE THE MEDICATION (definitely vs. probab
	24	8	DON'T KNOW
	738	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 2

Input location: 2/20

EX16 Reduce Heart/Increase Risk Cancer

Suppose that by taking the medication she would reduce her risk of heart disease from 1 in 200 to 1 in 500 but would increase her risk of breast cancer from 1 in 10,000 to 2 in 10,000.

Would you recommend that she take the medication or not?

PCT	N	VALUE	LABEL
42.9	108	1	TAKE THE MEDICATION (definitely vs. probably?)
42.9	108	2	DO NOT TAKE THE MEDICATION (definitely vs. probably)
14.2	36	8	DON'T KNOW
	694	0	NOT APPLICABLE
	6	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/21

Q1 Rate Health

The next few questions are about your own health and health practices.

Would you say that in general your health is excellent, very good, good, fair or poor?

PCT	N	VALUE	LABEL
16.6	158	1	EXCELLENT
35.3	336	2	VERY GOOD
33.2	316	3	GOOD
12.0	114	4	FAIR
3.0	28	5	POOR
	0	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/22

Q2 Physical Health

Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

PCT	N	VALUE	LABEL
61.1	570	0	NONE
9.3	87	1	DAYS
6.7	62	2	
4.3	40	3	
1.3	12	4	
3.0	28	5	
0.7	6	6	
1.8	17	7	
0.1	1	8	
2.6	24	10	
0.8	7	14	
2.0	19	15	
0.1	1	16	
0.5	5	20	
0.1	1	21	
0.1	1	24	
0.2	2	25	
0.1	1	27	
0.3	3	29	
4.9	46	30	DAYS
	19	98	DO NOT KNOW
	0	99	REFUSED

952 cases

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 30

Input location: 2/23-24

Q3 Emotional Health

Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

PCT	N	VALUE	LABEL
53.3	499	0	NONE
5.3	49	1	DAYS
7.7	72	2	
5.4	51	3	
3.0	28	4	
6.3	59	5	
0.6	5	6	
2.0	18	7	
0.3	2	8	
3.0	28	10	
0.0	0	12	
1.1	10	14	
3.2	30	15	
0.1	1	16	
2.9	27	20	
0.2	2	21	
0.0	0	22	
0.3	3	25	
1.0	9	28	
0.3	3	29	
3.9	36	30	DAYS
	11	98	DO NOT KNOW
	6	99	REFUSED

952 cases			

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 30

Input location: 2/25-26

Q4 Health Prevent Activities

During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

PCT	N	VALUE	LABEL
16.0	50	1	DAYS
7.7	24	2	
3.6	11	3	
2.7	9	4	
6.6	21	5	
0.5	1	6	
6.2	20	7	
0.6	2	8	
5.0	16	10	
0.2	1	11	
0.1	0	13	
1.3	4	14	
5.0	16	15	
0.2	1	16	
2.8	9	20	
0.3	1	21	
1.1	4	25	
0.2	1	29	
7.0	22	30	DAYS
0.1	0	77	DO NOT KNOW
32.9	104	88	NONE
	632	0	NOT APPLICABLE
	4	99	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 88

Input location: 2/27-28

Ut11 Main Source Health Care

Now I'd like to ask you some questions about health care.

When you need health care, do you usually go to a private physician's office, an HMO clinic, an urgent or ready care facility, a health clinic the emergency room of a hospital, or some other place?

PCT	N	VALUE	LABEL
75.5	715	1	PRIVATE DR.S OFFICE (INCLUDING SPECIALISTS)
8.6	81	2	HMO CLINIC
2.1	20	3	URGENT/READY CARE FACILITY
5.8	55	4	HEALTH CLINIC
5.3	50	5	EMERGENCY ROOM OF HOSPITAL
0.2	2	6	ALTERNATIVE HEALTH CARE PROVIDER (E.G., HOLISTIC H
0.3	3	7	HOME HEALTH CARE COMES TO R
1.2	11	88	NO PLACE; NEVER GET HEALTH CARE
1.0	9	90	MISCELLANEOUS OTHER COMMENTS AND PLACES
	4	98	DON'T KNOW
	2	99	REFUSED - NO ANSWER

			952 cases

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 90

Input location: 2/29-30

Ut12 Last Visit-Injury/Illness

About how long has it been since you last visited a doctor because of a particular illness or injury?

(Was it within the past year, within the past 2 years, within the past 3 years, within the past 5 years, or more than 5 years ago)?

PCT	N	VALUE	LABEL
69.9	659	1	WITHIN THE PAST YEAR (1 TO 12 MONTHS AGO)
12.9	122	2	WITHIN THE PAST 2 YEARS (1 TO 2 YEARS AGO)
7.0	66	3	WITHIN THE PAST 5 YEARS (2 TO 5 YEARS AGO)
8.2	77	4	5 OR MORE YEARS AGO
2.0	19	7	NEVER
	6	8	DON'T KNOW/NOT SURE
	4	9	REFUSED

			952 cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/31

Ut13 Last Check Up

About how long has it been since you last visited a doctor for a routine check-up?

(Was it within the past year, within the past 2 years, within the past 3 years, within the past 5 years, or more than 5 years ago)?

PCT	N	VALUE	LABEL
74.5	704	1	WITHIN THE PAST YEAR (1 TO 12 MONTHS AGO)
12.7	120	2	WITHIN THE PAST 2 YEARS (1 TO 2 YEARS AGO)
4.2	39	3	WITHIN THE PAST 5 YEARS (2 TO 5 YEARS AGO)
7.4	70	4	5 OR MORE YEARS AGO
1.3	13	7	NEVER
	4	8	DON'T KNOW/NOT SURE
	2	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/32

Ut14 Last-ER Visit

About how long has it been since you last visited the emergency room of a hospital because of a problem you personally - or another member of your family was having?

(Was it within the past year, within the past 2 years, within the past 3 years, within the past 5 years, or more than 5 years ago)?

PCT	N	VALUE	LABEL
46.0	433	1	WITHIN THE PAST YEAR (1 TO 12 MONTHS AGO)
18.6	175	2	WITHIN THE PAST 2 YEARS (1 TO 2 YEARS AGO)
16.3	153	3	WITHIN THE PAST 5 YEARS (2 TO 5 YEARS AGO)
12.8	121	4	5 OR MORE YEARS AGO
6.2	58	7	NEVER
	10	8	DON'T KNOW/NOT SURE
	2	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/33

Ut17 Last Lab Tests

About how long has it been since you personally last had lab tests done at a health facility because of a problem you were having?

(Was it within the past year, within the past 2 years, within the past 3 years, within the past 5 years, or more than 5 years ago)?

PCT	N	VALUE	LABEL
54.1	504	1	WITHIN THE PAST YEAR (1 TO 12 MONTHS AGO)
10.7	100	2	WITHIN THE PAST 2 YEARS (1 TO 2 YEARS AGO)
8.6	80	3	WITHIN THE PAST 5 YEARS (2 TO 5 YEARS AGO)
11.7	109	4	5 OR MORE YEARS AGO
14.8	137	7	NEVER
	19	8	DON'T KNOW/NOT SURE
	2	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/36

Ut18 Last Xrays

About how long has it been since you last had x-rays, mammograms, MRI, or CT scans?

(Was it within the past year, within the past 2 years, within the past 3 years, within the past 5 years, or more than 5 years ago)?

PCT	N	VALUE	LABEL
49.7	465	1	WITHIN THE PAST YEAR (1 TO 12 MONTHS AGO)
15.7	146	2	WITHIN THE PAST 2 YEARS (1 TO 2 YEARS AGO)
12.7	119	3	WITHIN THE PAST 5 YEARS (2 TO 5 YEARS AGO)
12.5	117	4	5 OR MORE YEARS AGO
9.5	89	7	NEVER
	14	8	DON'T KNOW/NOT SURE
	3	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/37

Ut19 Satisfaction Health Care

In general, when you think about the quality of health care you have received, would you say you have been very satisfied, somewhat satisfied, somewhat dissatisfied, or very dissatisfied?

PCT	N	VALUE	LABEL
48.9	462	1	VERY SATISFIED
38.3	362	2	SOMEWHAT SATISFIED
2.1	20	3	NEUTRAL; EQUALLY SATISFIED AND DISSATISFIED
8.6	82	4	SOMEWHAT DISSATISFIED
2.1	20	5	VERY DISSATISFIED
		6	8 DON'T KNOW
		1	9 REFUSED - NO ANSWER

			952 cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/38

BR1 Physical Exercise

Now I'd like to ask you a few questions about your own health practices.

During the past month, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise other than your regular job duties?.

PCT	N	VALUE	LABEL
85.6	811	1	YES
14.4	137	5	NO
		1	8 DON'T KNOW/NOT SURE
		3	9 REFUSED

			952 cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/39

BR3 Smoke 100 Cigs

Now I have few questions about tobacco and alcohol use.

Have you smoked at least 100 cigarettes in your entire life?

PCT	N	VALUE	LABEL
49.7	470	1	YES
50.3	476	5	NO
	3	8	DON'T KNOW/NOT SURE
	3	9	REFUSED

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/40

BR4 Current Smoker

Do you now smoke cigarettes everyday, some days, or not at all?

PCT	N	VALUE	LABEL
41.5	195	1	EVERYDAY
8.5	40	2	SOME DAYS
50.0	235	3	NOT AT ALL
	482	9	REFUSED

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 3

Input location: 2/41

BR5 Drink Alcohol

During the past month, have you had at least one drink of any alcoholic beverages such as beer, wine, wine coolers, or liquor?

PCT	N	VALUE	LABEL
56.0	532	1	YES
44.0	419	5	NO
	1	9	REFUSED

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/42

BR6 Frequency Drink

During the past month, how many days per week or per month did you drink any alcoholic beverages, on the average?

PCT	N	VALUE	LABEL
44.8	233	1	DAYS PER WEEK
55.2	288	2	DAYS PER MONTH
	10	8	DON'T KNOW/NOT SURE
	421	9	REFUSED

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 2

Input location: 2/43

BR7 Days Drinks

(During the past month, how many days per week or per month did you drink any alcoholic beverages, on the average?)

PCT	N	VALUE	LABEL
33.4	174	1	DAYS
22.3	116	2	
15.4	80	3	
7.2	38	4	
6.7	35	5	
2.4	13	6	
3.9	20	7	
1.0	5	8	
0.1	0	9	
2.5	13	10	
0.1	0	11	
0.1	0	12	
0.6	3	14	
1.0	5	15	
1.4	7	20	
0.1	0	21	
0.7	4	25	
0.2	1	30	
0.9	5	31	DAYS
	7	88	DO NOT KNOW
	424	99	REFUSED

952 cases			

Type: numeric Min: 1 MD Codes: 99,88
 Decimals: 0 Max: 31

Input location: 2/44-45

BR8 Number Drinks

A drink is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. On the days when you drank, about how many drinks did you drink on the average?

PCT	N	VALUE	LABEL
37.2	194	1	DRINKS
30.3	158	2	
12.5	65	3	
9.5	49	4	
3.5	18	5	
2.8	15	6	
0.8	4	7	
0.8	4	8	
0.7	3	10	
1.4	7	12	DRINKS
0.2	1	14	
0.4	2	18	
0.1	1	20	
0.0	0	25	
	7	88	DON'T KNOW/NOT SURE
	423	99	REFUSED

		952	cases

Type: numeric Min: 1 MD Codes: 99,88
 Decimals: 0 Max: 25

Input location: 2/46-47

BR9 Weight

Next, I will ask you about your current height and weight.

About how much do you weigh without shoes?

952 cases

Type: numeric Min: 88 MD Codes: 9,8
 Decimals: 0 Max: 420

Input location: 2/48-50

BR10

Height

About how tall are you without shoes?

PCT	N	VALUE	LABEL
0.0	0	200	FEET-INCHES
0.1	1	300	
0.5	5	400	
0.0	0	408	
0.1	1	409	
0.5	5	410	
1.3	12	411	
5.1	48	500	
3.0	28	501	
5.9	56	502	
6.9	64	503	
9.0	85	504	
6.9	65	505	
6.3	59	506	
8.3	78	507	
6.7	63	508	
7.4	70	509	
7.1	66	510	
7.1	66	511	
7.3	69	600	
4.1	38	601	
2.5	24	602	
2.0	19	603	
0.2	2	604	
0.7	7	605	
0.9	9	606	
0.1	1	700	
	7	8	DON'T KNOW
	5	9	REFUSED

952 cases

Type: numeric Min: 200
Decimals: 0 Max: 700

MD Codes: 9,8

Input location: 2/51-53

BR11 Gender

PCT	N	VALUE	LABEL
46.1	439	1	MALE
53.9	513	5	FEMALE

952 cases			

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 5

Input location: 2/54

BR12 Mammogram

Now I have some questions about other health services you may have received.

A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

PCT	N	VALUE	LABEL
54.1	276	1	YES
45.9	234	5	NO
	1	8	DON'T KNOW/NOT SURE
	441	9	REFUSED

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/55

BR13 Last Mammogram

How long has it been since you had your last mammogram?

(Was it within the past year, within the past 2 years, within the past 3 years, within the past 5 years, or more than 5 years ago)?

PCT	N	VALUE	LABEL
67.3	185	1	WITHIN THE PAST YEAR (1 TO 12 MONTHS AGO)
15.4	42	2	WITHIN THE PAST 2 YEARS (1 TO 2 YEARS AGO)
6.3	17	3	WITHIN THE PAST 3 YEARS (2 TO 3 YEARS AGO)
6.1	17	4	WITHIN THE PAST 5 YEARS (3 TO 5 YEARS AGO)
4.9	13	5	5 OR MORE YEARS AGO
	1	8	DON'T KNOW/NOT SURE
	676	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/56

BR14 Reason Mammogram

Was your last mammogram done as part of a routine checkup, because of a breast problem other than cancer, or because you've already had breast cancer?

PCT	N	VALUE	LABEL
85.3	232	1	ROUTINE CHECKUP
11.4	31	2	BREAST PROBLEM OTHER THAN CANCER
3.4	9	3	HAD BREAST CANCER
	2	8	DON'T KNOW/NOT SURE
	677	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 3

Input location: 2/57

CD1 Gender

Now I have a few background questions. These are for statistical analysis purposes.

PCT	N	VALUE	LABEL
46.0	438	1	MALE
54.0	514	5	FEMALE

952 cases			

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 5

Input location: 2/58

CD2 Year Born

In what year were you born?

952 cases

Type: numeric Min: 4 MD Codes: 999,998
Decimals: 0 Max: 82

Input location: 2/59-61

CD3 Education

What is the highest level of education that you have completed?

PCT	N	VALUE	LABEL
0.1	1	1	GRADE
0.0	0	5	
0.2	2	7	
1.3	12	8	
0.7	7	9	
2.1	20	10	
2.6	25	11	GRADE
36.1	343	12	HIGH SCHOOL GRADUATE OR GED HOLDER
10.1	96	13	SOME COLLEGE (ONE TO THREE YEARS)
14.6	139	14	
4.2	39	15	SOME COLLEGE (ONE TO THREE YEARS)
15.8	150	16	COLLEGE GRADUATE (FOUR YEARS)
3.1	30	17	SOME POST GRADUATE
7.2	69	18	GRADUATE DEGREE
1.8	17	20	TECHNICAL SCHOOL OR JUNIOR COLLEGE GRADUATE
	3	99	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 20

Input location: 2/62-63

CD4 Race

Which of the following describes your racial background?
 Would you say African-American or Black, Asian or Pacific
 Islander, Native American, or White or Caucasian?

PCT	N	VALUE	LABEL
2.3	22	0	OTHER: SPECIFY
10.4	98	1	AFRICAN-AMERICAN OR BLACK
0.6	5	2	ASIAN OR PACIFIC ISLANDER
1.1	10	3	NATIVE AMERICAN
85.7	809	4	WHITE OR CAUCASIAN
	1	8	DO NOT KNOW
	6	9	REFUSED TO ANSWER

952 cases			

Type: numeric Min: 0 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 2/64

CD5 Ethnicity

Are you of Hispanic origin or descent, such as Spanish, Mexican, Puerto Rican, Cuban, or another Latin American background?

PCT	N	VALUE	LABEL
3.0	29	1	YES
97.0	915	5	NO
	3	8	DO NOT KNOW
	5	9	REFUSED TO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/65

CD6 Religion

What is the religious group which you feel most closely represents your religious views? (Is it Catholic, Islamic, Jewish, Protestant, some other religion, or no religion)?

PCT	N	VALUE	LABEL
9.7	90	0	NONE; NO RELIGIOUS GROUP
27.8	259	1	CATHOLIC; ROMAN CATHOLIC, ORTHODOX
0.5	4	2	ISLAMIC
1.1	10	3	JEWISH
51.5	480	4	PROTESTANT (includes Baptist, Lutheran, Presbyterian)
0.8	8	5	OTHER NON-CHRISTIAN (Hindu, Buddhist)
8.7	82	7	OTHER
	5	8	DO NOT KNOW
	15	9	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 0 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/66

CD7 Party ID

Generally speaking, do you think of yourself as a Republican, a Democrat, an Independent or something else?

PCT	N	VALUE	LABEL
11.5	105	0	SOMETHING ELSE, NO PARTY MENTIONED:
27.0	245	1	REPUBLICAN
28.6	261	4	INDEPENDENT
0.9	8	5	SOME OTHER PARTY MENTIONED
31.9	290	7	DEMOCRAT
	18	8	DO NOT KNOW
	25	9	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 0 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/67

CD7A Republican

Would you call yourself a strong Republican or a not very strong Republican?

PCT	N	VALUE	LABEL
48.1	116	1	STRONG REPUBLICAN
50.4	122	2	NOT A VERY STRONG REPUBLICAN
1.5	4	8	DO NOT KNOW
	710	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/68

CD7B Democrat

Would you call yourself a strong Democrat or a not very strong Democrat?

PCT	N	VALUE	LABEL
46.9	134	6	NOT A VERY STRONG DEMOCRAT
52.7	151	7	STRONG DEMOCRAT
0.4	1	8	DO NOT KNOW
	665	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 6 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/69

CD7C Independent

Do you generally think of yourself as closer to the Democratic Party or the Republican Party?

PCT	N	VALUE	LABEL
26.6	66	3	REPUBLICAN
29.7	74	4	NEITHER (R PROVIDED)
42.4	105	5	DEMOCRAT
1.3	3	8	DO NOT KNOW
	704	0	NOT APPLICABLE
	0	9	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 3 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 2/70

CD7D Other Party

What is other party (you usually vote for)?

PCT	N	VALUE	LABEL
23.4	2	2	BEST PERSON FOR JOB
50.5	3	95	NO MENTION
26.1	2	98	DO NOT KNOW
	945	0	MENTIONED PARTY: SPECIFY

	952		cases

Type: numeric Min: 2 MD Codes: 99,0
Decimals: 0 Max: 98

Input location: 2/71-72

ptid Party ID Collapsed

PCT	N	VALUE	LABEL
12.5	114	0	
12.9	116	1	strong republican
14.2	129	2	not strong rep
7.3	66	3	lean republican
9.6	87	4	neither
11.6	105	5	lean democrat
15.4	139	6	not strong dem
16.7	151	7	strong dem
	21	8	do not know
	25	9	refused

	952		cases

Type: numeric Min: 0 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 2/73

CD8 Marital Status

Are you currently married, divorced, separated,
widowed, member of an unmarried couple, or have you never been married?

PCT	N	VALUE	LABEL
0.6	5	0	REMARRIED
60.2	572	1	MARRIED
6.9	65	2	DIVORCED
2.4	23	3	SEPARATED
5.5	53	4	WIDOWED
1.8	17	5	MEMBER OF AN UNMARRIED COUPLE
22.3	212	6	SINGLE, NEVER BEEN MARRIED
0.2	2	7	OTHER
	2	99	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 0 MD Codes: 99,98
Decimals: 0 Max: 7

Input location: 2/74-75

ID3 Case ID

952 cases

Type: numeric Min: 10002 MD Codes: none
Decimals: 0 Max: 75310

Input location: 3/1-5

R3 Data Record III

PCT	N	VALUE	LABEL
100.0	952	3	

	952		cases

Type: numeric Min: 3 MD Codes: none
Decimals: 0 Max: 3

Input location: 3/6

CD10 Adults

Next, I have a few questions about the others who may be living in your household.

Including yourself, how many individuals who are 18 years of age or older live in your household?

PCT	N	VALUE	LABEL
22.1	210	1	PERSON, ONLY RESPONDENT
51.0	484	2	ADULTS
17.5	166	3	
7.3	70	4	
1.4	13	5	
0.7	6	6	
	3	99	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 6

Input location: 3/7-8

CD11 Adults 65 Over

How many of these adults are over 64 years of age?

PCT	N	VALUE	LABEL
80.2	593	0	ADULTS 65+
6.8	50	1	
13.0	96	2	
	1	98	DO NOT KNOW
	212	99	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 2

Input location: 3/9-10

CD12 Children

How many children younger than 18 live in your household?

PCT	N	VALUE	LABEL
54.4	516	0	NONE
18.9	179	1	CHILDREN
17.2	163	2	
7.3	69	3	
1.6	15	4	
0.5	5	5	
0.2	2	6	
0.0	0	8	
	2	99	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 8

Input location: 3/11-12

CD13 Children Under 5

How many of these children are under 5 years of age?

PCT	N	VALUE	LABEL
52.7	228	0	NONE
32.0	139	1	CHILDREN UNDER 5
13.0	56	2	
2.4	10	3	
	519	99	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 3

Input location: 3/13-14

GRF1 Child Care Under 5

What type of child care do you use most of the time for your child(ren) under 5?

(Does your spouse provide care, a child care center, a family or group day care home, a relative, an in-home caregiver, an older child, or do you take care of them yourself?)

PCT	N	VALUE	LABEL
17.0	35	1	SPOUSE OR RESPONDENT PROVIDES CARE (E.G. STAY AT H
13.8	28	2	CHILD CARE CENTER
14.1	29	3	A FAMILY OR GROUP HOME CHILD CARE
18.3	38	4	RELATIVE OF FAMILY MEMBER
6.1	12	5	IN-HOME CAREGIVER-BABYSITTER
1.5	3	6	OLDER CHILD PROVIDES CARE, LEAVE ON THEIR OWN
19.2	39	7	TAKE CARE CHILDREN MYSELF
1.6	3	8	FRIEND OR NEIGHBOR
2.7	5	9	COMBINATION OF PROVIDERS
5.7	12	98	DON'T KNOW
	747	0	NOT APPLICABLE
	0	99	REFUSED

		952	cases

Type: numeric Min: 1 MD Codes: 99,0
Decimals: 0 Max: 98

Input location: 3/15-16

GRF2 Reason Care (under 5)

What is the most important reason for having this type of child care?

(Is it the price of care, the location of care, the quality of care, convenience, your work schedule, or some other reason)?

PCT	N	VALUE	LABEL
4.0	8	1	PRICE OF CHILDCARE
3.4	7	2	LOCATION OF CHILDCARE
32.9	67	3	QUALITY OF CHILDCARE
11.0	23	4	CONVENIENCE
12.1	25	5	YOUR WORK SCHEDULE
2.7	5	6	COMBINATION OF TWO OR MORE OF ABOVE
6.5	13	7	ALL OF THE ABOVE
10.7	22	8	SO CHILD CAN BE WITH PARENT DURING YOUNG YEARS, PA
5.1	11	9	TRUST
0.1	0	10	SO CHILD CAN PLAY WITH OTHER KIDS
4.5	9	90	MISCELLANEOUS OTHER COMMENTS
7.0	14	98	DON'T KNOW
	747	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/17-18

GRF3 Satisfaction Care (under 5)

Are you satisfied with your current child care arrangements for your children under 5, or would you prefer some other arrangements?

PCT	N	VALUE	LABEL
84.6	171	1	SATISFIED WITH CURRENT ARRANGEMENTS
9.6	19	5	PREFER OTHER ARRANGEMENTS
5.8	12	8	DO NOT KNOW
	747	0	NOT APPLICABLE
	3	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 3/19

GR4 Care Prefer (under 5)

What type of child care would you prefer?

(Does your spouse provide care, a child care center, a family
or group day care home, a relative, an in-home caregiver, an
older child, or do you take care of them yourself?)

PCT	N	VALUE	LABEL
8.8	2	1	SPOUSE PROVIDES CARE
7.5	1	2	CHILD CARE CENTER
36.8	7	4	RELATIVE OF FAMILY MEMBER
1.5	0	5	IN-HOME CAREGIVER - BABYSITTER
13.5	3	7	TAKE CARE CHILDREN MYSELF
18.0	3	90	MISCELLANEOUS OTHER COMMENT
13.9	3	98	DON'T KNOW
	933	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
Decimals: 0 Max: 98

Input location: 3/20-21

GRF5 Childcare 5-17

What type of child care do you use most of the time
for your child(ren) between 5 and 17?

(Does your spouse provide care, a child care center, a family
or group day care home, a relative, an in-home caregiver, an
older child, or do you take care of them yourself?)

PCT	N	VALUE	LABEL
10.6	32	1	SPOUSE OR RESPONDENT PROVIDES CARE (E.G. STAY AT H
13.3	40	2	CHILD CARE CENTER, PRE-SCHOOL, AFTER SCHOOL CARE C
8.3	25	3	A FAMILY OR GROUP HOME CHILD CARE
19.4	58	4	RELATIVE OF FAMILY MEMBER
3.3	10	5	IN-HOME CAREGIVER-BABYSITTER
5.9	18	6	OLDER CHILD PROVIDES CARE, LEAVE ON THEIR OWN
12.1	36	7	TAKE CARE CHILDREN MYSELF
1.0	3	8	FRIEND OR NEIGHBOR
0.1	0	9	COMBINATION OF PROVIDERS
23.7	71	90	NONE: CHILDREN OLD ENOUGH TO TAKE CARE OF SELVES
2.3	7	98	DON'T KNOW
	651	0	NOT APPLICABLE
	2	99	REFUSED

952 cases

Type: numeric Min: 1 MD Codes: 99,0
Decimals: 0 Max: 98

Input location: 3/22-23

GRF6 Reason Care (5-17)

What is the most important reason for having this type of child care for your child(ren) between 5 and 17?
(Is it the price of care, the location of care, the quality of care, convenience, your work schedule, or some other reason)?

PCT	N	VALUE	LABEL
4.4	10	1	PRICE OF CHILDCARE
0.9	2	2	LOCATION OF CHILDCARE
31.7	70	3	QUALITY OF CHILDCARE
22.1	49	4	CONVENIENCE
6.8	15	5	YOUR WORK SCHEDULE
1.3	3	6	COMBINATION OF ABOVE (MOST PRACTICAL)
3.2	7	7	ALL OF THE ABOVE
0.0	0	8	ONE ON ONE (PERSONAL) CONTACT
8.4	18	9	TRUST, SAFETY
1.3	3	10	OLD ENOUGH TO CARE FOR SELF
1.7	4	11	WANT TO TAKE CARE OF CHILDREN HERSELF
0.1	0	12	NOTHING ELSE ACCEPTABLE THAT IS AVAILABLE
5.4	12	13	IMPORTANT FOR PARENT TO BE WITH CHILD
0.4	1	14	DONT TRUST OTHER PROVIDERS
4.2	9	15	INTERACTION WITH OTHERS
8.1	18	90	MISCELLANEOUS OTHER COMMENTS-REASONS
		0	OTHER
		10	DON'T KNOW
	723	99	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 90

Input location: 3/24-25

GRF7 Satisfaction Care (5-17)

Are you satisfied with your current child care arrangements for your children between 5 and 17, or would you prefer some other arrangements?

PCT	N	VALUE	LABEL
87.8	202	1	SATISFIED WITH CURRENT ARRANGEMENTS
7.8	18	5	PREFER OTHER ARRANGEMENTS
4.4	10	8	DO NOT KNOW
	722	0	

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
Decimals: 0 Max: 8

Input location: 3/26

GR8 Prefer Care (5-17)

What type of child care would you prefer (for your child(ren) between 5 and 17)?

PCT	N	VALUE	LABEL
41.3	7	2	CHILD CARE CENTER, AFTER SCHOOL CARE CENTER (E.G.
2.9	0	3	A FAMILY OR GROUP HOME CHILD CARE
25.1	4	5	IN-HOME CAREGIVER - BABYSITTER
25.0	4	7	TAKE CARE CHILDREN MYSELF
5.6	1	90	MISCELLANEOUS OTHER COMMENT 0 OTHER
	934	0	NOT APPLICABLE
	1	99	REFUSED

952 cases			

Type: numeric Min: 2 MD Codes: 99,0
 Decimals: 0 Max: 90

Input location: 3/27-28

GR9 Transportation

What type of transportation do you usually use to get your child(ren) to child care?

PCT	N	VALUE	LABEL
65.3	223	1	YOUR OWN CAR
0.9	3	2	CAR OF A FRIEND
1.1	4	3	PUBLIC TRANSPORTATION
29.8	102	7	DON'T USE TRANSPORTATION TO GET CHILD(REN) TO CHILDCARE
3.0	10	8	DON'T KNOW
	607	0	NOT APPLICABLE
	3	9	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 3/29

GR10 Problems Transportation

How frequently do you have problems with this transportation?
 Would you say much of the time, frequently, sometimes, only
 occasionally, rarely, or never?

PCT	N	VALUE	LABEL
1.2	4	1	MUCH OF THE TIME
0.8	3	2	FREQUENTLY
5.9	19	3	SOMETIMES
6.3	21	4	ONLY OCCASIONALLY
21.5	70	5	RARELY
58.8	193	6	NEVER
5.6	18	8	DON'T KNOW
	607	0	NOT APPLICABLE
	16	9	REFUSED - NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 8

Input location: 3/30

CD14 Total Children

Altogether, how many children have you had or adopted? (Please
 include any you had from a previous marriage)

PCT	N	VALUE	LABEL
24.8	235	0	NONE, NEVER HAD CHILDREN
13.9	131	1	CHILDREN
29.1	276	2	
14.6	139	3	
8.4	79	4	
4.1	39	5	
2.3	22	6	
1.2	11	7	
0.4	4	8	
0.7	6	9	
0.2	2	10	
0.1	1	11	
0.1	1	12	
0.1	1	18	
	1	98	DO NOT KNOW
	4	99	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 18

Input location: 3/31-32

D14a Housing Status

Do you rent or do you own your own home?

PCT	N	VALUE	LABEL
18.6	177	1	RENT
77.5	734	5	OWN (INCLUDES PAYING MORTGAGE CURRENTLY)
3.8	36	7	OTHER: SPECIFY
	5	9	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 3/33

D16 Length Residency

How long have you lived in your current home (or apartment)?

952 cases

Type: numeric Min: 0 MD Codes: 99,98
Decimals: 0 Max: 70

Input location: 3/34-35

D16a Moves 10 Years

How many times have you moved in the past ten years?

PCT	N	VALUE	LABEL
31.9	173	1	TIMES MOVED
17.1	93	2	
20.4	111	3	
10.2	55	4	
10.3	56	5	
2.6	14	6	
2.2	12	7	
1.3	7	8	
0.5	3	9	
1.4	8	10	
0.2	1	12	
0.1	1	15	
0.5	3	16	
1.1	6	20	TIMES MOVED
0.1	1	98	DO NOT KNOW
	409	0	NOT APPLICABLE
	1	99	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/36-37

D16b Type Community

Would you say you live in a rural community, a small city or town, a suburb, or an urban community?

PCT	N	VALUE	LABEL
24.5	230	1	RURAL COMMUNITY
33.4	314	2	SMALL CITY OR TOWN, VILLAGE
29.1	273	3	A SUBURB
13.1	123	4	URBAN COMMUNITY
		5	DON'T KNOW
		6	REFUSED - NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 3/38

CD15 Employment

We are interested in learning about the different ways people may earn their living. Last week, were you working full-time, part-time, going to school, a home-maker or something else?

PCT	N	VALUE	LABEL
1.2	11	0	SELF EMPLOYED EITHER FULL OR PART TIME
48.7	457	1	WORK FULL TIME
13.4	126	2	WORK PART TIME
2.5	23	3	WORK AND GO TO SCHOOL
1.0	9	5	HAVE A JOB, BUT NOT AT WORK LAST WEEK (ON VACATION
1.2	12	6	UNEMPLOYED, LAID OFF, LOOK FOR WORK
15.7	148	7	RETIRED
1.1	10	8	SCHOOL FULL TIME
12.9	121	9	HOME-MAKER
2.0	19	10	DISABLED
0.3	3	90	OTHER (s)
		12	99 REFUSED-NO ANSWER

			952 cases

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 90

Input location: 3/39-40

CD17 Multiple Jobs

Do you currently work for pay at more than one job?

PCT	N	VALUE	LABEL
14.9	93	1	YES
85.1	530	5	NO
	329	0	NOT APPLICABLE

			952 cases

Type: numeric Min: 1 MD Codes: 9,0
 Decimals: 0 Max: 5

Input location: 3/41

CD18 Hours Main Job

On average, how many hours per week do you work at your main job?

PCT	N	VALUE	LABEL
0.2	1	4	
1.0	6	5	
0.4	3	6	
0.5	3	8	
1.1	7	10	
0.1	1	12	
0.5	3	14	
0.8	5	15	
0.3	2	16	
0.8	5	17	
0.2	1	18	
3.5	22	20	
0.2	1	21	
0.3	2	22	
1.8	11	24	
3.3	20	25	
0.1	1	26	
0.4	2	27	
0.2	1	28	
5.8	36	30	
1.2	7	32	
2.8	17	35	
0.4	3	36	
0.2	1	37	
0.2	1	38	
0.3	2	39	
33.7	209	40	
0.3	2	41	
0.6	4	42	
1.2	8	43	
0.1	1	44	
11.1	69	45	
0.3	2	46	
0.4	2	47	
4.5	28	48	
10.0	62	50	
0.1	1	54	
2.5	15	55	
0.2	1	56	
0.1	1	57	
0.1	1	58	
3.0	19	60	
0.4	3	62	
0.4	3	65	
0.6	4	70	
2.4	15	75	HOURS PER WEEK
1.0	6	98	DO NOT KNOW
	330	0	NOT APPLICABLE

1 99 REFUSED-NO ANSWER

 952 cases

Type: numeric Min: 4 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/42-44

CD19 Hours Other Job

On average, how many hours per week do you work at any jobs other than your main job?

PCT	N	VALUE	LABEL
3.1	2	1	HOURS PER WEEK
2.4	2	2	
4.4	3	3	
2.0	2	5	
2.3	2	6	
1.8	1	7	
2.1	2	8	
2.5	2	9	
10.4	8	10	
13.7	10	12	
23.6	17	15	
1.1	1	16	
17.3	13	20	
3.5	3	22	
0.4	0	24	
1.4	1	25	
6.6	5	30	
1.0	1	40	HOURS PER WEEK
0.4	0	98	DO NOT KNOW
	878	0	NOT APPLICABLE

952 cases			

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/45-46

CD20 Looking Work

Have you been actively looking for work or a different job?

PCT	N	VALUE	LABEL
16.3	104	1	YES
83.7	533	5	NO
	315	0	NOT APPLICABLE
	0	9	REFUSED TO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,0
Decimals: 0 Max: 5

Input location: 3/47

CD22 Work Status

In your main (last) job, are (were) you self-employed or do (did) you work for someone else?

PCT	N	VALUE	LABEL
13.3	118	1	SELF-EMPLOYED
85.6	757	5	WORK FOR SOMEONE ELSE
1.0	9	8	DO NOT KNOW
	58	0	NOT APPLICABLE: NEVER WORKED
	10	9	REFUSED TO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 9,0
Decimals: 0 Max: 8

Input location: 3/48

CD23 Wage Structure

(In your main job/last job,) (do/did) you work for an hourly wage,
an annual salary, or something else?

PCT	N	VALUE	LABEL
58.4	506	1	HOURLY WAGE
28.4	246	3	ANNUAL SALARY
3.9	34	5	ON COMMISSION (R PROVIDED)
8.8	77	7	OTHER
0.5	4	8	DO NOT KNOW
	73	0	NOT APPLICABLE
	13	9	REFUSED TO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 9,0
Decimals: 0 Max: 8

Input location: 3/49

CD21 Main Job

In your main (last) job, what kind of work do (did) you
normally do? That is, what is (was) your job called?

952 cases

Type: numeric Min: 45 MD Codes: 9999,9998
Decimals: 0 Max: 9997

Input location: 3/50-53

INC1 More \$30,000

To get a picture of people's financial situations, we'd like to know the general range of incomes of all households we interview. This is for statistical analysis purposes and your answers will be kept strictly confidential. Now, thinking about your household's total annual income from all sources (including your job), did your household receive \$30,000 or more in 1996?

PCT	N	VALUE	LABEL
0.3	3	0	NOT APPLICABLE
71.4	603	1	YES (\$30,000 OR MORE)
28.3	239	5	NO (LESS THAN \$30,000)
	28	98	DON'T KNOW-NO OPINION
	78	99	REFUSED-NO ANSWER

952 cases

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 5

Input location: 3/54-55

INC2 More \$20,000

Was it \$20,000 or more?

PCT	N	VALUE	LABEL
52.5	124	1	YES (\$20,000 - 29,999)
45.3	107	5	NO (LESS THAN \$20,000)
2.2	5	98	DON'T KNOW-NO OPINION
	712	0	NOT APPLICABLE
	3	99	REFUSED-NO ANSWER

952 cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/56-57

inca More \$25,000

Was it \$25,000 or more?

PCT	N	VALUE	LABEL
49.6	62	1	YES (\$25,000 - 29,999)
47.1	58	5	NO (LESS THAN \$25,000)
3.3	4	98	DON'T KNOW-NO OPINION
	828	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/58-59

INC3 More \$10,000

Was it \$10,000 or more?

PCT	N	VALUE	LABEL
73.3	79	1	YES (\$10,000 - 19,999)
23.3	25	5	NO (LESS THAN \$10,000)
3.4	4	98	DON'T KNOW-NO OPINION
	844	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/60-61

incb More \$15,000

Was it \$15,000 or more?

PCT	N	VALUE	LABEL
57.4	45	1	YES (\$15,000 - 19,999)
38.7	30	5	NO (LESS THAN \$15,000)
4.0	3	98	DON'T KNOW-NO OPINION
	873	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/62-63

INC4 More \$60,000

Was it \$60,000 or more?

PCT	N	VALUE	LABEL
47.4	284	1	YES
52.2	313	5	NO (MORE THAN \$30,000 LESS THAN \$60,000)
0.4	3	98	DON'T KNOW-NO OPINION
	349	0	NOT APPLICABLE
	3	99	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/64-65

INC5 More \$40,000

Was it \$40,000 or more?

PCT	N	VALUE	LABEL
64.7	202	1	YES (\$40,000 OR MORE)
34.5	108	5	NO (\$30,000 - 39,999)
0.8	3	98	DON'T KNOW-NO OPINION
	638	0	NOT APPLICABLE
	2	99	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/66-67

incc More \$35,000

Was it \$35,000 or more?

PCT	N	VALUE	LABEL
48.6	52	1	YES (\$35,000 - 39,999)
51.4	55	5	NO (\$30,000 - 34,999)
	844	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 5

Input location: 3/68-69

INC6 More \$50,000

Was it \$50,000 or more?

PCT	N	VALUE	LABEL
35.8	72	1	YES (\$50,000 - 59,999)
63.4	127	5	NO (\$40,000 - 49,999)
0.8	2	98	DON'T KNOW/NO OPINION
	752	0	NOT APPLICABLE

952 cases			

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 3/70-71

INC7 More \$80,000

Was it \$80,000 or more?

PCT	N	VALUE	LABEL
43.8	124	1	YES (\$80,000 OR MORE)
56.2	158	5	NO (\$60,000 - 79,999)
	2	98	DON'T KNOW-NO OPINION
	668	99	REFUSED-NO ANSWER

952 cases			

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 5

Input location: 3/72-73

ID4 Case Number

952 cases

Type: numeric Min: 10002 MD Codes: none
 Decimals: 0 Max: 75310

Input location: 4/1-5

R4 Data Record IV

PCT	N	VALUE	LABEL
100.0	952	4	

	952		cases

Type: numeric Min: 4 MD Codes: none
 Decimals: 0 Max: 4

Input location: 4/6

INC8 More \$70,000

Was it \$70,000 or more?

PCT	N	VALUE	LABEL
52.6	82	1	YES (\$70,000 - 79,999)
45.1	70	5	NO (\$60,000 - 69,999)
2.3	4	98	DON'T KNOW-NO OPINION
	796	0	NOT APPLICABLE
	0	99	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 4/7-8

INC9 More \$100,000

Was it \$100,000 or more?

PCT	N	VALUE	LABEL
37.5	46	1	YES (\$100,000 OR MORE)
62.1	77	5	NO (\$80,000 - 99,999)
0.4	1	98	DON'T KNOW-NO OPINION
	828	0	NOT APPLICABLE

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 4/9-10

NC10

Was it \$90,000 or more?

PCT	N	VALUE	LABEL
49.9	38	1	YES (\$90,000 - 99,999)
50.1	38	5	NO (\$80,000 - 89,999)
	0	98	DON'T KNOW-NO OPINION
	875	99	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 5

Input location: 4/11-12

NC11 More \$110,000

Was it \$110,000 or more?

PCT	N	VALUE	LABEL
52.7	24	1	YES (\$110,000 OR MORE)
42.3	19	5	NO (\$100,000 - 109,999)
5.0	2	98	DON'T KNOW-NO OPINION
	906	0	NOT APPLICABLE
	0	99	REFUSED-NO ANSWER

	952		cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 4/13-14

INC Income Collapsed

PCT	N	VALUE	LABEL
3.2	26	1	\$10,000 or less
3.7	30	2	10,000 - 14,999
5.5	45	3	15,000 - 19,999
7.1	58	4	20,000 - 24,999
7.4	62	5	25,000 - 29,999
6.7	55	6	30,000 - 34,999
6.3	52	7	35,000 - 39,999
15.3	127	8	40,000 - 49,999
8.7	72	9	50,000 - 59,999
8.5	70	10	60,000 - 69,999
9.9	82	11	70,000 - 79,999
4.6	38	12	80,000 - 89,999
4.6	38	13	90,000 - 99,999
2.3	19	14	100,000 - 109,999
2.9	24	15	110,000 or more
3.4	28	98	DONT KNOW
		47	0 Don't Know Precise Category
		77	99 REFUSED

			952 cases

Type: numeric Min: 1 MD Codes: 99,0
 Decimals: 0 Max: 98

Input location: 4/15-16

CD25 Salary

What is the gross annual income from your main job --
 that is, before taxes or other deductions?

952 cases

Type: numeric Min: 1 MD Codes: 99999999,99999998
 Decimals: 0 Max: 999999999

Input location: 4/17-25

CD26 Phone Numbers

How many phone numbers does your household have?

PCT	N	VALUE	LABEL
88.5	828	1	DIFFERENT PHONE NUMBERS
10.6	100	2	
0.4	4	3	
0.4	4	4	
0.0	0	5	
	16	9	REFUSED

	952		cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 4/27

FNL1 Final Disposition

PCT	N	VALUE	LABEL
89.3	850	1	COMPLETE
0.2	1	2	PARTIAL
10.6	101	3	REFUSAL CONVERSION

	952		cases

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 3

Input location: 4/40-41

DAT1 Interview Date

PCT	N	VALUE	LABEL
2.1	20	61097	
1.9	18	61197	
2.4	22	61297	
1.5	14	61397	
1.8	17	61497	
3.6	34	61597	
4.3	41	61697	
5.1	48	61797	
4.1	39	61897	
3.4	32	61997	
1.4	13	62097	
0.6	6	62197	
1.0	9	62297	
2.0	19	62397	
5.5	52	62497	
3.3	31	62597	
3.5	34	62697	
1.2	11	62797	
3.3	31	62897	
0.9	8	62997	
4.8	45	63097	
4.4	42	70197	
3.0	29	70297	
1.6	15	70397	
2.1	20	70797	
3.3	32	70897	
1.3	12	70997	
1.6	16	71097	
0.8	8	71197	
0.6	6	71297	
1.7	16	71397	
3.5	33	71497	
1.2	11	71597	
1.4	13	71697	
0.9	9	71797	
0.9	8	71897	
0.2	2	71997	
0.2	2	72097	
5.1	48	72197	
1.6	15	72297	
2.1	20	72397	
1.4	14	72497	
0.6	6	72597	
0.8	7	72697	
0.3	3	72797	
0.5	4	72897	
1.4	13	72997	
0.0	0	73097	

952 cases

Type: numeric Min: 61097 MD Codes: none
Decimals: 0 Max: 73097

Input location: 4/42-47

TCT1 Contacts Before Interview

PCT	N	VALUE	LABEL
16.5	157	1	
17.5	167	2	
9.9	94	3	
11.5	109	4	
8.0	77	5	
4.6	44	6	
4.9	47	7	
3.6	35	8	
3.5	33	9	
2.8	26	10	
2.3	22	11	
2.0	19	12	
0.9	8	13	
1.4	13	14	
1.1	11	15	
1.1	11	16	
0.8	8	17	
0.9	9	18	
0.6	6	19	
0.3	3	20	
1.4	13	21	
0.4	4	22	
0.2	2	23	
0.2	2	24	
0.2	2	25	
0.3	3	26	
0.3	3	27	
0.2	2	28	
0.8	8	29	
0.1	1	30	
0.8	7	31	
0.1	1	33	
0.0	0	36	
0.1	1	39	
0.0	0	40	
0.2	2	42	
0.0	0	43	
0.0	0	44	
0.1	0	47	
0.1	1	62	

952 cases

Type: numeric Min: 1
Decimals: 0 Max: 62

MD Codes: none

Input location: 4/48-49

INV1 Interviewer

952 cases

Type: character Width: 3

Input location: 4/50-52

TIM1 Length Interview

PCT	N	VALUE	LABEL
0.0	0	5	
0.0	0	7	
0.0	0	12	
0.1	1	13	
1.2	11	14	
0.6	5	15	
2.5	23	16	
5.4	51	17	
7.2	67	18	
9.4	88	19	
8.0	74	20	
10.1	95	21	
9.2	86	22	
6.3	59	23	
8.0	75	24	
5.8	54	25	
5.2	48	26	
4.5	42	27	
2.2	20	28	
3.4	31	29	
3.2	30	30	
1.5	14	31	
0.6	6	32	
0.9	9	33	
0.6	6	34	
0.8	8	35	
0.3	2	36	
0.7	6	37	
0.3	3	38	
0.2	2	39	
0.3	3	40	
0.3	3	41	
0.0	0	43	
0.0	0	44	
0.0	0	45	
0.1	1	46	
0.1	1	47	
0.0	0	49	
0.0	0	50	
0.1	1	52	
0.3	3	54	
0.0	0	56	
0.1	1	58	
0.1	1	59	
0.1	1	61	
0.0	0	113	
	20	0	

952 cases

Decimals: 0 Max: 113

Input location: 4/53-56

agecat Rs age in categories

PCT	N	VALUE	LABEL
14.6	138	1	18 - 24 Yrs
11.2	105	2	25 - 29 Yrs
22.7	215	3	30 - 39 Yrs
17.3	163	4	40 - 49 Yrs
12.0	114	5	50 - 59 Yrs
5.9	56	6	60 - 64 Yrs
16.3	155	7	65 or older
		7	9 REFUSED

952 cases

Type: numeric Min: 1 MD Codes: 9

Decimals: 0 Max: 7

Input location: 4/57

adjwt Weight adj for phones adults race gender

952 cases

Type: numeric Min: 0.0556 MD Codes: 0.0000

Decimals: 4 Max: 6.2244

Input location: 4/58-63

msuewt weight by MSU region

952 cases

Type: numeric Min: 0.0556 MD Codes: none

Decimals: 4 Max: 6.2244

Input location: 4/65-70

staterwt Weight for Statewide Estimates

952 cases

Type: numeric Min: 0.0290 MD Codes: none

Decimals: 4 Max: 8.2974

Input location: 4/71-76

race Race 3 categories

PCT	N	VALUE	LABEL
85.1	809	1	White
12.3	117	2	African American
2.6	24	3	Other
		1	9 Refuse-Not codable

			952 cases

Type: numeric Min: 1 MD Codes: 9,7
Decimals: 0 Max: 3

Input location: 4/77

age Respondents Age (1997-birth year)

952 cases

Type: numeric Min: 18 MD Codes: 999
Decimals: 0 Max: 93

Input location: 4/78-80