CODEBOOK

State of the State Survey V
1013 cases

Weight Variable: statewt

CONTENTS

September 3, 1998

ID1   Case Id Number

     1013 cases

     Type: numeric   Min: 10005   MD Codes: none
     Decimals: 0   Max: 70572

     Input location: 1/1-5
_____

R1   Data Record I

       PCT   N VALUE   LABEL
     100.0   1013   1

             1013 cases

     Type: numeric   Min: 1   MD Codes: none
     Decimals: 0   Max: 1

     Input location: 1/6
_____

cnty   County Code

     1013 cases

     Type: numeric   Min: 26001   MD Codes: none
     Decimals: 0   Max: 26165

     Input location: 1/7-11
_____

regn   Region Code

       PCT   N VALUE   LABEL
      3.4   35   1 Upper Peninsula
      4.3   44   2 North
     13.4   135   3 West Central
     14.2   144   4 Southwest
      8.6   88   5 East Central
     45.5   461   6 Southeast
     10.6   107   7 Detroit

             1013 cases

     Type: numeric   Min: 1   MD Codes: none
     Decimals: 0   Max: 7

     Input location: 1/12

CD1   Gender

      PCT   N VALUE LABEL
     48.2   488   1 MALE
     51.8   525   5 FEMALE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 5

     Input location: 1/13

_____

HS1   Current Health Status

         I would like to start by asking you some general questions about
         your current health status.

         Would you say that in general your health is excellent, very good,
         good, fair or poor?

      PCT   N VALUE LABEL
     23.7   240   1 EXCELLENT
     36.8   373   2 VERY GOOD
     25.5   258   3 GOOD
      9.6   97   4 FAIR
      4.1   42   5 POOR
      0.2   2   8 DO NOT KNOW
              1   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 1/14

HS2   12 Month Health Comparison

        Compared to 12 months ago, would you say your health is better now,
        about the same, or worse now than it was then?

     PCT   N VALUE LABEL
     21.0   213   1 BETTER
     68.0   689   2 SAME
     10.4   106   3 WORSE
      0.5   5   8 DO NOT KNOW
               0   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 1/15

_____

HS3   Hypertension

        Has a doctor or other health care professional ever told you that you
        have high blood pressure or hypertension?

     PCT   N VALUE LABEL
     21.5   217   1 YES
     78.4   794   5 NO
      0.1   1   8 DO NOT KNOW
               0   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 1/16

HS3a   Medication-Hypertension

        Are you currently taking any medication to control your high blood
        pressure?

    PCT   N VALUE LABEL
   55.5   121   1 YES
   44.5   97   5 NO
          795   0 NOT APPLICABLE

         1013 cases

   Type: numeric   Min: 1   MD Codes: 9,0
   Decimals: 0   Max: 5

   Input location: 1/17

_____

HS4   Diabetes

        Has a doctor or other health care professional ever told you that
        you have diabetes?

    PCT   N VALUE LABEL
    6.0   61   1 YES
   94.0   952   5 NO

         1013 cases

   Type: numeric   Min: 1   MD Codes: 9,0
   Decimals: 0   Max: 5

   Input location: 1/18

_____

HS4a   Diabetes-Pregnancy

        Were you pregnant at the time?

    PCT   N VALUE LABEL
   40.7   12   1 YES
   59.3   18   5 NO
          983   0 NOT APPLICABLE

         1013 cases

   Type: numeric   Min: 1   MD Codes: 9,0
   Decimals: 0   Max: 5

   Input location: 1/19

HS4b   Age Diagnosed Diabetes

          How old were you when a doctor or other health care professional
          told you that you had diabetes?

     1013 cases

     Type: numeric   Min: 7   MD Codes: 999,0
     Decimals: 0   Max: 998

     Input location: 1/20-22

_____

HS4c   Diabetes Medication-Swallow

          Are you currently using medicine that you swallow to treat or
          control your diabetes.

       PCT   N VALUE LABEL
      52.7   32   1 YES
      47.3   29   5 NO
               952   0 NOT APPLICABLE

               1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 5

     Input location: 1/23

_____

HS4d   Diabetes-Insulin

          Are you now using insulin injections (to control your diabetes)?

       PCT   N VALUE LABEL
      28.8   8   1 YES
      71.2   21   5 NO
               984   0 NOT APPLICABLE

               1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 5

     Input location: 1/24

CD2   Year of Birth

        Before we go any further, I have a couple of general questions about
        you and your background.

          In what year were you born?

      1013 cases

      Type: numeric   Min: 2   MD Codes: 999
      Decimals: 0   Max: 998

      Input location: 1/25-27

CD8   Number Adults

        Including yourself, how many individuals who are 18 years
        of age or older live in your household?

       PCT   N VALUE LABEL
      20.9   211   1 PERSON, ONLY RESPONDENT
      53.7   541   2 ADULTS
      14.0   142   3
       9.2   92   4
       2.0   20   5
       0.0   0   6
       0.1   1   98 DO NOT KNOW
                5   99 REFUSED - NO ANSWER

            1013 cases

      Type: numeric   Min: 1   MD Codes: 99,0
      Decimals: 0   Max: 98

      Input location: 1/28-29

adts   Number of Adults

        PCT   N VALUE LABEL
        0.6   6   0 MISSING
       20.8   211   1 ADULTS
       53.4   541   2
       14.0   142   3
        9.1   92   4
        2.0   20   5
        0.0   0   6

                1013 cases

     Type: numeric   Min: 0   MD Codes: 99
     Decimals: 0   Max: 6

     Input location: 1/30-31

_____

CD9   Adults 65 and Over

         How many of these adults are over 64 years of age?

        PCT   N VALUE LABEL
       80.3   811   0 NO ADULTS OVER 64
       10.0   101   1 ADULTS OVER 64
        9.0   90   2
        0.7   7   3
        0.1   1   9
                 3   99 REFUSED - NO ANSWER

                1013 cases

     Type: numeric   Min: 0   MD Codes: 99
     Decimals: 0   Max: 9

     Input location: 1/32-33

CD10   Children

        How many children younger than 18 live in your household?

     PCT   N VALUE LABEL
    60.3   609   0 NONE
    15.1   152   1 CHILDREN
    13.6   137   2
     8.6   87   3
     1.4   14   4
     0.8   9   5
     0.1   1   6
     0.1   1   8
     0.0   0   98 DO NOT KNOW
            3   99 REFUSE TO ANSWER

          1013 cases

    Type: numeric   Min: 0   MD Codes: 99
    Decimals: 0   Max: 98

    Input location: 1/34-35

_____

CD11   Children Under 5

         How many of these children are under 5 years of age?

     PCT   N VALUE LABEL
    63.0   252   0 NO CHILDREN UNDER 5
    23.8   95   1 CHILDREN UNDER 5
    11.6   46   2
     0.5   2   3
     1.0   4   4
     0.1   0   5
           612   99 REFUSE TO ANSWER

          1013 cases

    Type: numeric   Min: 0   MD Codes: 99
    Decimals: 0   Max: 5

    Input location: 1/36-37

chld   Total Children

         PCT   N VALUE LABEL
        60.4   612   0 CHILDREN
        15.0   152   1 CHILDREN
        13.6   137   2
         8.6   87   3
         1.3   14   4
         0.8   9   5
         0.1   1   6
         0.1   1   8

               1013 cases

      Type: numeric   Min: 0   MD Codes: 99
      Decimals: 0   Max: 8

      Input location: 1/38-39

_____

hhld   Total Household

         PCT   N VALUE LABEL
         0.6   6   0
        14.3   145   1 HOUSEHOLD
        34.1   345   2
        16.4   166   3
        19.0   193   4
        10.2   103   5
         3.2   33   6
         1.3   13   7
         0.3   3   8
         0.2   2   9
         0.4   4   10

               1013 cases

      Type: numeric   Min: 0   MD Codes: 99
      Decimals: 0   Max: 10

      Input location: 1/40-41

HS5   Height - Feet

        I have a couple of additional questions about your current
        health status.

        About how tall are you?

            IWER: ENTER ONLY FEET HERE

    PCT   N VALUE LABEL
    2.1   21   4
   77.0   776   5
   20.6   208   6
    0.3   3   8 DO NOT KNOW
            6   9 REFUSED - NO ANSWER

         1013 cases

    Type: numeric   Min: 4   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 1/42-44

_____

HS5a   Height - Inches

        (How many inches)?

    PCT   N VALUE LABEL
   11.0   111   0 INCHES
    6.9   70   1
   10.7   108   2
    5.9   60   3
    8.6   87   4
    9.5   96   5
    8.4   84   6
    8.7   88   7
    9.0   91   8
    6.6   66   9
    7.6   77   10
    6.8   68   11 INCHES
    0.3   3   98 DO NOT KNOW
            3   99 REFUSED - NO ANSWER

         1013 cases

    Type: numeric   Min: 0   MD Codes: 99
    Decimals: 0   Max: 98

    Input location: 1/45-46

HS6   Weight - Pounds

          About how much do you currently weigh?

     1013 cases

     Type: numeric   Min: 9   MD Codes: 999,0
     Decimals: 0   Max: 998

     Input location: 1/47-49

_____

PF1   Personal Health Limitations

          We are interested in learning if people have
          trouble with various activities due to health or physical problems.

          Because of health or physical problems, do you personally need
          someone else's help in meeting your needs for personal care, such
          as getting across a room, getting dressed, taking a bath or shower,
          going to the toilet, or eating a meal?

       PCT   N VALUE LABEL
       1.9   19   1 YES
      98.1   993   5 NO
       0.1   1   8 DO NOT KNOW

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 1/50

PF2   Other Household Members Limitations

          Because of health or physical problems, do any other
          people in your household need regular help in meeting their
          needs for personal care (such as getting help walking across a
          room, getting dressed, taking a bath or shower, going to the toilet,
          or eating a meal).

          PCT   N VALUE LABEL
          2.4   21   1 YES
         97.3   845   5 NO
          0.2   2   8 DO NOT KNOW
                 145   0 NOT APPLICABLE

                 1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 1/51

_____

PF3   Number Household with Limitations

          Other than yourself, how many other people in your household need
          regular assistance meeting their personal care needs?

          PCT   N VALUE LABEL
         95.7   20   1 PEOPLE
          4.3   1   2
                 992   0 NOT APPLICABLE

                 1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 2

     Input location: 1/52

PF4   Relationships

        Are these people related to you, or is this a residence for
        individuals who need this kind of special care?

     PCT   N VALUE LABEL
    97.0   20   1 RELATED TO YOU
     3.0   1   5 RESIDENCE FOR SPECIAL CARE
            992   0 NOT APPLICABLE

           1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 5

    Input location: 1/53

_____

P1   Age - 1st Person

        What is the age of the (first) person (other than yourself,
        in your household that needs regular help in
        meeting personal care needs)?

     PCT   N VALUE LABEL
     3.2   1   2
     1.5   0   5
     2.4   0   6
     1.2   0   16
     3.6   1   26
     7.0   1   40
     8.1   2   41
     1.8   0   47
     2.5   1   48
     7.8   2   56
     1.4   0   60
     3.9   1   67
     7.3   2   73
     3.8   1   76
    17.2   4   77
     1.6   0   83
    12.0   3   84
     3.0   1   90
     9.1   2   91
     1.5   0   998
            992   997

           1013 cases

    Type: numeric   Min: 2   MD Codes: 999,997
    Decimals: 0   Max: 998

    Input location: 1/54-56

P1a   Gender 1st Person

        Is that person male or female?

     PCT   N VALUE LABEL
    27.1   6   1 MALE
    71.4   15   5 FEMALE
     1.5   0   8 DO NOT KNOW
           992   0 NOT APPLICABLE

          1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 1/57

_____

P2   Age 2nd Person

        What is the age of the (second) (other) person (other than yourself,
        in your household that needs regular help in meeting personal
        care needs)?

     PCT   N VALUE LABEL
    100.0   1   65
           1012   997

          1013 cases

    Type: numeric   Min: 65   MD Codes: 999,997
    Decimals: 0   Max: 65

    Input location: 1/58-60

_____

P2a   Gender 2nd Person

      Is that person male or female?

     PCT   N VALUE LABEL
    100.0   1   5 FEMALE
           1012   0 NOT APPLICABLE

          1013 cases

    Type: numeric   Min: 5   MD Codes: 9,0
    Decimals: 0   Max: 5

    Input location: 1/61

H1   Particular Health Provider

        Now I would like to ask you some questions relating to health care
        and health care services.

        Is there a particular person (a doctor or other health care professional)
        that you usually go to see when you need medical care?

         PCT   N VALUE LABEL
        76.8   778   1 YES
        23.2   235   5 NO

                1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 5

        Input location: 1/78

_____

ID2   CAse ID

        1013 cases

        Type: numeric   Min: 10005   MD Codes: none
        Decimals: 0   Max: 70572

        Input location: 2/1-5

_____

R2   Data Record II

          PCT   N VALUE LABEL
        100.0   1013   2

                1013 cases

        Type: numeric   Min: 2   MD Codes: none
        Decimals: 0   Max: 2

        Input location: 2/6

H2   Provides Care Most Often

        When you need medical care, do you most often
        see a physician, a nurse or nurse practitioner, a physician assistant,
        a chiropractor, a podiatrist, or some other health professional?

          PCT   N VALUE LABEL
        88.7   892   1 PHYSICIAN
         1.5   15   2 NURSE OR NURSE PRACTITIONER
         2.0   20   3 PHYSICIAN ASSISTANT
         2.9   29   4 CHIROPRACTOR
         0.5   5   5 PODIATRIST
         0.1   1   6 PSYCHOLOGIST
         0.1   1   9 DENTIST
         0.4   4   10 COMBINATION: 2 EQUALLY
         2.5   26   97 OTHER MENTIONED: MISCELLANEOUS
         1.4   14   98 DO NOT KNOW
                 7   99 REFUSED - NO ANSWER

               1013 cases

     Type: numeric   Min: 1   MD Codes: 99,0
     Decimals: 0   Max: 98

     Input location: 2/7-8
_____

H2a   MD-DO

        Is that person an M.D. or a D.O. (a medical doctor or an
        osteopathic physician)?

          PCT   N VALUE LABEL
        79.5   707   1 M.D. MEDICAL DOCTOR
        14.1   125   5 D.O. OSTEOPATHIC PHYSICIAN
         2.8   25   7 SEES BOTH TYPES (R:PROVIDED)
         3.6   32   8 DO NOT KNOW
               121   0 NOT APPLICABLE
                 4   9 REFUSED - NO ANSWER

               1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/9

H3   Where Health Care

          Currently, when you go to get health care, do you usually go to a
          physician's office, to a clinic, to a health center, to the emergency
          department of a hospital, to a hospital outpatient department,
          or somewhere else?

      PCT   N   VALUE   LABEL
     66.2   670   1   PHYSICIANS OFFICE
     19.8   201   2   CLINIC (planned parenthood,
      6.0   61   3   HEALTH CENTER
      3.5   35   4   EMERGENCY DEPARTMENT
      2.5   25   5   HOSPITAL OUT-PATIENT DEPARTMENTS (VA hospital,
      0.1   1   6   MED-STATION (redi-care, delta medical, etc)
      0.2   2   7   NONE-DO NOT SEE DR'S MEDICAL PERSONNEL
      1.3   13   97   OTHER: MISCELLANEOUS
      0.5   5   98   DO NOT KNOW
               0   99   REFUSED - NO ANSWER

           1013 cases

   Type: numeric   Min: 1   MD Codes: 99,0
   Decimals: 0   Max: 98

   Input location: 2/10-11

H4   Travel Time

        How much time, in minutes, does it usually
        take for you to get from your home to the location of your
        health care provider?

     PCT   N VALUE LABEL
     0.4   4   1 MINUTES
     1.3   14   2
     2.3   23   3
     0.9   9   4
    12.4   125   5
     0.3   3   6
     1.1   11   7
     1.0   10   8
     0.1   1   9
    22.8   230   10
     0.8   8   12
     0.1   1   13
     0.1   1   14
    19.4   197   15
     0.0   0   16
     0.1   1   17
    15.3   155   20
     4.7   48   25
     9.7   98   30
     0.9   9   35
     0.5   5   40
     1.6   16   45
     1.6   16   60
     0.1   1   70
     0.3   3   75
     0.9   9   90 MINUTES
     1.6   16   98 DO NOT KNOW
              2   99 REFUSED - NO ANSWER

           1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 2/12-13

I1   Health Insurance Coverage

        Individuals can get health insurance coverage from a variety of sources,
        including Medicare, Medicaid, another government program such as CHAMPUS,
        from private insurance provided through an employer or union,
        or from private insurance that is purchased by an individual.

        Do you currently have health insurance coverage of any kind?

        PCT   N VALUE LABEL
       90.8   919   1 YES
        9.2   93   5 NO
        0.0   0   8 DO NOT KNOW
                 1   9 REFUSED - NO ANSWER

               1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/14

I2   Type of Health Insurance

        Does your primary health insurance coverage come from
        Medicare, Medicaid, another government health insurance program,
        from a plan provided through an employer or union, or from
        an individually purchased private insurance plan?

        IWER: MEDICARE - GOV'T PROGRAM ELDERLY AND DISABLED
               MEDICAID - GOV'T PROGRAM FOR THE NEEDY
               CHAMPUS   - MILITARY INSURANCE

        PCT   N VALUE LABEL
       14.4   132   1 MEDICARE
        4.4   40   2 MEDICAID
        1.3   12   3 ANOTHER GOVERNMENT PROGRAM (CHAMPUS)
       69.7   639   4 PLAN PROVIDED THROUGH EMPLOYER
        9.3   85   5 INDIVIDUALLY PURCHASED OR PRIVATE INSURANCE PLAN
        0.9   9   8 DO NOT KNOW
                93   0 NOT APPLICABLE
                 3   9 REFUSED - NO ANSWER

               1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/15

I3   Medicare-Supplemental

        Many people covered by Medicare or other government insurance programs
        also have supplementary insurance coverage, either private insurance
        or from the government through Medicaid.

        Do you have one of these types of supplemental coverage?

      PCT   N VALUE LABEL
     53.1   76   1 YES, PRIVATE INSURANCE
     11.6   17   2 YES, MEDICAID, OTHER GOVERNMENT
     30.6   44   5 NO, NO OTHER SUPPLEMENTAL INSURANCE
      4.7   7   8 DO NOT KNOW
              869   0 NOT APPLICABLE
                0   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/16

_____

I4   Medicaid HMO

         Are you enrolled in a Medicaid Health Maintenance Organization or HMO?

      PCT   N VALUE LABEL
     32.6   19   1 YES
     49.5   28   5 NO
     18.0   10   8 DO NOT KNOW
              956   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/17

I5   Medicaid Physician Sponsor

        Have you been assigned to a physician sponsor?

        PCT   N VALUE LABEL
        38.8   22   1 YES
        54.6   31   5 NO
         6.6   4   8 DO NOT KNOW
               956   0 NOT APPLICABLE

              1013 cases

      Type: numeric   Min: 1   MD Codes: 9,0
      Decimals: 0   Max: 8

      Input location: 2/18

I6   Medicaid - Not Looking Work

        Has concern about losing your Medicaid coverage kept you from looking
        for employment or increasing your hours of work?

        PCT   N VALUE LABEL
        12.4   7   1 YES
        87.1   48   5 NO
         0.5   0   8 DO NOT KNOW
               956   0 NOT APPLICABLE
                 2   9 REFUSED - NO ANSWER

              1013 cases

      Type: numeric   Min: 1   MD Codes: 9,0
      Decimals: 0   Max: 8

      Input location: 2/19

I7   Employer Paid

        Does an employer or union pay all, part, or none of the cost of the
        policy?

         PCT   N VALUE LABEL
        39.9   319   1 ALL
        45.6   365   3 PART
        13.8   110   5 NONE
         0.7   6   8 DO NOT KNOW
                213   0 NOT APPLICABLE
                  0   9 REFUSED - NO ANSWER

                1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 8

        Input location: 2/20

I8   Others Covered

        Is anyone else in your household besides yourself covered by this
        policy?

         PCT   N VALUE LABEL
        81.2   567   1 YES
        18.6   130   5 NO
         0.2   1   8 DO NOT KNOW
                315   0 NOT APPLICABLE
                  0   9 REFUSED - NO ANSWER

                1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 8

        Input location: 2/21

I9   Health Plan Choice

     When you or another family member chose this insurance plan, did you have
     a choice from among more than one different plan, or was this the only
     insurance plan offered?

       PCT   N VALUE LABEL
      56.2   450   1 CHOICE OF MORE THAN ONE PLAN
      39.9   319   5 ONLY INSURANCE PLAN OFFERED
       4.0   32   8 DO NOT KNOW
              213   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/22

I10   Diversity

         When you chose your health insurance plan how important were
         the following factors in your decision?

         (How important was) the number and diversity of physicians
         available under the plan?

         Was this very important, somewhat important, not very important,
         or not important at all (in your decision)?

       PCT   N VALUE LABEL
      60.4   271   1 VERY IMPORTANT
      21.1   95   2 SOMEWHAT IMPORTANT
      11.6   52   3 NOT VERY IMPORTANT
       5.1   23   4 NOT IMPORTANT AT ALL
       1.8   8   8 DO NOT KNOW
              563   0 NOT APPLICABLE
                1   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/23

I11   Quality

        (How important was) the insurance plan's reputation for quality?

        (Was this very important, somewhat important, not very important,
         or not important at all in your decision)?

        PCT   N VALUE LABEL
      75.9   340   1 VERY IMPORTANT
      18.8   85   2 SOMEWHAT IMPORTANT
       2.3   10   3 NOT VERY IMPORTANT
       1.9   8   4 NOT IMPORTANT AT ALL
       1.2   5   8 DO NOT KNOW
             563   0 NOT APPLICABLE
               1   9 REFUSED - NO ANSWER

             1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 2/24
_____

I12   Proximity

        How important was how close the nearest clinic or doctor's office
        is to where you live?

        (Was this very important, somewhat important, not very important,
         or not important at all in your decision)?

        PCT   N VALUE LABEL
      39.2   176   1 VERY IMPORTANT
      31.8   142   2 SOMEWHAT IMPORTANT
      18.9   85   3 NOT VERY IMPORTANT
       9.1   41   4 NOT IMPORTANT AT ALL
       1.0   5   8 DO NOT KNOW
             563   0 NOT APPLICABLE
               1   9 REFUSED - NO ANSWER

             1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 2/25

I13   Overall Cost

          How important was the overall cost of the plan for you, including
          premiums, co-payments, deductibles, and the need to pay for
          uncovered services?

          (Was this very important, somewhat important, not very important,
          or not important at all?)

       PCT   N VALUE LABEL
      64.9   292   1 VERY IMPORTANT
      25.0   112   2 SOMEWHAT IMPORTANT
       5.6   25   3 NOT VERY IMPORTANT
       2.8   13   4 NOT IMPORTANT AT ALL
       1.6   7   8 DO NOT KNOW
              563   0 NOT APPLICABLE
                0   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/26

I14   Primary Care Physician

          Does your insurance coverage require you to choose a primary care
          physician?

       PCT   N VALUE LABEL
      38.8   311   1 YES
      58.3   467   5 NO
       2.8   23   8 DO NOT KNOW
              213   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/27

I15   Prior Approval

        Does your primary care physician or insurer have to approve
        any contacts with specialty physicians before the insurance will cover
        care from a specialist?

      PCT   N VALUE LABEL
     66.3   206   1 YES
     25.8   80   5 NO
      7.9   25   8 DO NOT KNOW
             702   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/28
_____

I16   Prescription Coverage

        Does your insurance cover any of the costs (some or all)
        of prescription drugs?

      PCT   N VALUE LABEL
     84.1   673   1 YES
     14.1   113   5 NO
      1.8   14   8 DO NOT KNOW
             213   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/29

I17   Mail Order

        Does your insurance coverage require you to get some
        prescriptions by mail order?

      PCT   N VALUE LABEL
      5.2   35   1 YES
     90.1   607   5 NO
      4.7   31   8 DO NOT KNOW
             340   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/30

_____

I18   Use Particular Pharmacies

        Does your insurance coverage require you to use particular
        pharmacies?

      PCT   N VALUE LABEL
     17.4   117   1 YES
     81.7   550   5 NO
      0.9   6   8 DO NOT KNOW
             340   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/31

I19   Generic Drugs

        Does your insurance coverage require you to use generic drugs
        if they are available?

      PCT   N VALUE LABEL
     26.3   177   1 YES
     64.3   433   5 NO
      9.4   63   8 DO NOT KNOW
             340   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/32

I20   Limit Name Brands

        For some kinds of medications, does your insurance coverage
        limit which brand-names you can use?

      PCT   N VALUE LABEL
      5.6   38   1 YES
     78.9   529   5 NO
     15.5   104   8 DO NOT KNOW
             340   0 NOT APPLICABLE
               3   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/33

I21   Denied Coverage

        Have you or any of the others in your household covered by this
        insurance ever had coverage denied for a particular health problem,
        because it was a pre-existing condition at the time the insurance
        took effect?

     PCT   N VALUE LABEL
     3.2   25   1 YES
    96.1   770   5 NO
     0.7   5   8 DO NOT KNOW
            213   0 NOT APPLICABLE

            1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 2/34

I22   Changing Plans

        Are you currently thinking about changing to a different insurance plan?

     PCT   N VALUE LABEL
     7.9   63   1 YES
    91.8   735   5 NO
     0.3   2   8 DO NOT KNOW
            213   0 NOT APPLICABLE

            1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 2/35

I23   Change Jobs

        Would you like to change jobs but have not done so because you are
        afraid of losing health insurance coverage for yourself or your
        dependents.

         PCT   N VALUE LABEL
        11.3   77   1 YES
        87.1   593   5 NO
         1.6   11   8 DO NOT KNOW
               329   0 NOT APPLICABLE
                 2   9 REFUSED - NO ANSWER

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/36

_____

I24   Other Household Members Non Coverage

        Are any other members of your household not covered
        by health insurance of any kind, including any of the government
        sponsored programs I've mentioned?

         PCT   N VALUE LABEL
         8.6   74   1 YES
        90.7   786   5 NO
         0.8   7   8 DO NOT KNOW
               145   0 NOT APPLICABLE
                 1   9 REFUSED - NO ANSWER

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/37

I25   Adults w/o Coverage

        How many adults in your household do not have health care
        insurance coverage?

      PCT   N   VALUE   LABEL
     10.4   8   0   ADULTS
     41.7   33   1   ADULTS
     16.1   13   2
     11.6   9   3
     13.2   10   4
      1.3   1   5
      5.7   4   98   DO NOT KNOW
              935   90   NOT APPLICABLE

              1013 cases

     Type: numeric   Min: 0   MD Codes: 99,90
     Decimals: 0   Max: 98

     Input location: 2/38-39

_____

I26   Children Over 5 w/o Coverage

        How many children in your household between the ages of 5 and 18
        do not have health care insurance?

      PCT   N   VALUE   LABEL
     35.6   12   0   CHILDREN 5 TO 18
     55.8   19   1   CHILDREN 5 TO 18
      5.2   2   2
      3.4   1   3
              979   90   NOT APPLICABLE

              1013 cases

     Type: numeric   Min: 0   MD Codes: 99,90
     Decimals: 0   Max: 3

     Input location: 2/40-41

I27   Children Under 5 w/o Coverage

        How many children in your household under the age of 5 do not
        have health care insurance?

     PCT   N VALUE LABEL
     88.8   12   0 CHILDREN UNDER 5
     11.2   2   1 CHILDREN UNDER 5
             999   90 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 0   MD Codes: 99,90
     Decimals: 0   Max: 1

     Input location: 2/42-43

_____

H7   Change Doctors

        Now I'll ask some questions about your use of health care.

        Have you ever had to change doctors or been unable to see a
        doctor you wanted to see because of your insurance coverage?

     PCT   N VALUE LABEL
     15.0   152   1 YES
     84.9   860   5 NO
      0.2   2   8 DO NOT KNOW

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/44

_____

H8   Not Sought Care

        In the past year, have you ever not sought medical care
        even when you thought you needed it or when you thought you should?

     PCT   N VALUE LABEL
     22.9   232   1 YES
     76.8   778   5 NO
      0.2   2   8 DO NOT KNOW

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/45

H8a   Reasons Not Sought Care

        Was that because you didn't think you could afford the care you
        might need, because your health insurance makes it difficult
        for you to get the care you need, or was it for some other reason?

      PCT   N VALUE   LABEL
     39.4   88   1   COST-EXPENSE-COULD NOT AFFORD
      7.3   16   2   INSURANCE MAKES IT DIFFICULT TO GET NEEDED CARE (r
      9.0   20   3   NO TIME-LACK OF TIME-INCONVENIENT (no time, busy)
      1.2   3   4   TREAT SELF-HOME REMEDIES
      8.2   18   5   NO INSURANCE-INSURANCE WOULD NOT COVER
      4.9   11   6   DO NOT LIKE DOCTORS (wimpy, scared, chicken)
      4.9   11   7   THOUGHT ILLNESS WOULD GO AWAY (got better on own)
      0.4   1   8   NO REGULAR DR, DON'T LIKE USING ER, ETC
      1.3   3   9   LACK OF TRANSPORTATION
      1.5   3   10   NOT SERIOUS ENOUGH OF AN ILLNESS
      6.4   14   11   LAZY
     15.2   34   97   OTHER: MISCELLANEOUS
      0.4   1   98   DO NOT KNOW
             781   0   NOT APPLICABLE
               8   99   REFUSED - NO ANSWER

             1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 2/46-47

_____

HC1   Office Visits

        In the past three months (that is since last July), have you seen a
        physician for any reason, including for office visits or outpatient
        procedures?

      PCT   N VALUE   LABEL
     60.2   610   1   YES
     39.8   403   5   NO

             1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 5

    Input location: 2/48

HC2   Emergency Room

        In the past three months (that is since last July), have you gone to a
        hospital emergency room for treatment of any illness or injury?

        PCT   N VALUE LABEL
       11.5   116   1 YES
       88.3   894   5 NO
        0.2   2   8 DO NOT KNOW

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/49

_____

HC3   Hospitalized

        In the past three months (that is, since last July),
        have you been admitted to the hospital and stayed at least
        overnight?

        PCT   N VALUE LABEL
        3.7   37   1 YES
       96.3   976   5 NO

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 5

     Input location: 2/50

_____

HC4   Prescription or Renewal

        In the past year, has a doctor written or renewed a prescription
        for you?

        PCT   N VALUE LABEL
       68.5   693   1 YES
       31.3   317   5 NO
        0.2   2   8 DO NOT KNOW
                 1   9 REFUSED - NO ANSWER

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/51

HC5   Delayed Medication

        Sometimes people delay taking medications or filling prescriptions
        because of the cost. During the last three months, have you taken
        less medication than was prescribed for you because of the cost?

      PCT   N VALUE LABEL
      7.9   55   1 YES
     92.1 639   5 NO
           320   0 NOT APPLICABLE

          1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 5

     Input location: 2/52

_____

S1   Satisfaction-Ability to Get Care

        Next, I would like to ask you some questions about your overall
        satisfaction or dissatisfaction with the health care you are currently
        receiving.

        Overall, how satisfied or dissatisfied are you with your current
        ability to get health care when you need it?

        Would you say you are very satisfied, somewhat satisfied, somewhat
        dissatisfied or very dissatisfied?

      PCT   N VALUE LABEL
     56.3 564   1 VERY SATISFIED
     31.3 314   2 SOMEWHAT SATISFIED
      0.7   7   3 NEITHER SATISFIED OR DISSATISFIED
      5.9   60   4 SOMEWHAT DISSATISFIED
      5.0   50   5 VERY DISSATISFIED
      0.6   6   8 DO NOT KNOW
            11   9 REFUSED - NO ANSWER

          1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/53

S2   Source of Dissatisfaction

        What is the main source of your dissatisfaction?

     PCT   N   VALUE   LABEL
    25.4   105   1   COSTS TOO MUCH (high premiums, high deductibles, c
     8.3   34   2   TAKES TOO LONG TO GET AN APPOINTMENT
     3.7   15   3   TAKES TOO LONG TO GET THERE
     3.7   15   4   WAIT IS TOO LONG TO BE SEEN (slow, busy doctors
    13.0   53   5   TOO RESTRICTED IN CHOICE OF PROVIDERS (unable to c
     2.9   12   6   NONE OR NOT GOOD PRESCRIPTION COVERAGE (won't cove
    10.7   44   7   TOO RESTRICTED IN COVERAGE (no preventative care,
     1.5   6   8   PAPER WORK
     4.7   19   9   INCOMPETENT DOCTORS (unable to treat illness,
     0.5   2   10   UNABLE TO GET COVERAGE DUE TO ILLNESS OR CONDITION
    16.5   68   97   OTHER: MISCELLANEOUS
     9.0   37   98   DO NOT KNOW
           582   0   NOT APPLICABLE
            19   99   REFUSED

          1013 cases

     Type: numeric   Min: 1   MD Codes: 99,0
     Decimals: 0   Max: 98

     Input location: 2/54-55

_____

S3   Satisfaction - Paperwork

        The next two questions are about your insurance coverage.

        In general, how satisfied or dissatisfied are you with
        the amount of paper work required by your primary health insurance?

        (Would you say your are very satisfied, somewhat satisfied, somewhat
        dissatisfied or very dissatisfied)?

     PCT   N   VALUE   LABEL
    61.0   551   1   VERY SATISFIED
    25.6   231   2   SOMEWHAT SATISFIED
     2.0   18   3   NEITHER SATISFIED OR DISSATISFIED
     5.5   50   4   SOMEWHAT DISSATISFIED
     3.6   33   5   VERY DISSATISFIED
     2.2   20   8   DO NOT KNOW
            94   0   NOT APPLICABLE
            16   9   REFUSED - NO ANSWER

          1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/56

S4   Satisfaction-Insurance Inquiry

        In general, when you have questions for your primary health
        insurer, how satisfied or dissatisfied
        are you with how your inquiry is handled?

        (Would you say your are very satisfied, somewhat satisfied, somewhat
        dissatisfied or very dissatisfied)?

          PCT   N   VALUE   LABEL
         51.8   471   1   VERY SATISFIED
         31.6   287   2   SOMEWHAT SATISFIED
          4.1   37   3   NEITHER SATISFIED OR DISSATISFIED
          4.8   44   4   SOMEWHAT DISSATISFIED
          2.9   26   5   VERY DISSATISFIED
          4.8   44   8   DO NOT KNOW
                  94   0   NOT APPLICABLE
                  10   9   REFUSED - NO ANSWER

                1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 8

        Input location: 2/57

_____

S5   Rate Competence

        The next few questions are about the health care provider
        you usually go to for care.

        In general, when you receive health care, how would you rate
        the technical skills of your health care providers, that is,
        the thoroughness, carefulness, and competence?

        Would you say it is excellent, very good, good, fair, or poor?

          PCT   N   VALUE   LABEL
         39.0   390   1   EXCELLENT
         38.7   387   2   VERY GOOD
         15.5   155   3   GOOD
          5.1   51   4   FAIR
          1.0   10   5   POOR
          0.8   8   8   DO NOT KNOW
                  12   9   REFUSED - NO ANSWER

                1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 8

        Input location: 2/58

S6   Rate Personal Manner

        In general, how would you rate the personal manner of your health
        care providers, that is, the courtesy, respectfulness,
        sensitivity, and friendliness of your health care providers?

           Would you say it is excellent, very good, good, fair, or poor?

       PCT   N VALUE   LABEL
      45.0   449   1   EXCELLENT
      35.9   358   2   VERY GOOD
      13.0   130   3   GOOD
       4.3   43   4   FAIR
       0.9   9   5   POOR
       0.9   9   8   DO NOT KNOW
               15   9   REFUSED - NO ANSWER

             1013 cases

      Type: numeric   Min: 1   MD Codes: 9,0
      Decimals: 0   Max: 8

      Input location: 2/59

S7   Ability to Afford Care

        Looking to the next five years, do you think that your ability
        to afford the health care that you need will stay about the
        same as it is now, get better, or get worse?

       PCT   N VALUE   LABEL
      49.1   493   1   STAY ABOUT THE SAME
      16.5   165   2   GET BETTER
      30.7   308   3   GET WORSE
       3.7   38   8   DO NOT KNOW
                8   9   REFUSED - NO ANSWER

             1013 cases

      Type: numeric   Min: 1   MD Codes: 9,0
      Decimals: 0   Max: 8

      Input location: 2/60

S8   Ability to Get Care

        Looking to the next five years, do you think that your ability
        to get health care when you need it will stay about the
         same as it is now, will get better, or will get worse?

       PCT   N VALUE LABEL
      59.5   598   1 STAY ABOUT THE SAME
      13.2   132   2 GET BETTER
      24.2   243   3 GET WORSE
       3.1   31   8 DO NOT KNOW
               9   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/61

_____

S9   Quality Health Care

        Looking to the next five years, do you think that the quality of
        the health care you receive will stay about the same as it is now,
        will get better, or will get worse?

       PCT   N VALUE LABEL
      55.3   555   1 STAY ABOUT THE SAME
      21.9   219   2 GET BETTER
      19.2   193   3 GET WORSE
       3.6   36   8 DO NOT KNOW
               9   9 REFUSED - NO ANSWER

             1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/62

A1   Limitations Health Care

        Federal and state policy makers are looking for ways to reduce the
        growth of Medicare and Medicaid in order to hold down spending.
        For each of the following statements, please tell me to what
        extent you agree or disagree with each.

        The first statement is this . . .

        Individuals who cannot afford to pay for their own health
        care should face more limits on when and where they get care
        than those who can afford it.

        Would you say you strongly agree, somewhat agree, somewhat disagree, or
        strongly disagree with the statement?

          PCT   N VALUE   LABEL
         10.7   106   1   STRONGLY AGREE
         34.3   341   2   SOMEWHAT AGREE
          0.8   8   3   NEITHER AGREE NOR DISAGREE
         24.4   243   4   SOMEWHAT DISAGREE
         26.8   267   5   STRONGLY DISAGREE
          2.9   29   8   DO NOT KNOW
                  20   9   REFUSED - NO ANSWER

                 1013 cases

      Type: numeric   Min: 1   MD Codes: 9,0
      Decimals: 0   Max: 8

      Input location: 2/63

A2   Equal Healthcare Elderly

          The next is . . .

          Even if spending has to be cut, the government should provide
          the same quality and choice of health care coverage for the elderly
          that is available to the non-elderly.

        (Would you say you strongly agree, somewhat agree, somewhat disagree, or
          strongly disagree with the statement)?

          PCT   N VALUE   LABEL
         64.5   639   1   STRONGLY AGREE
         26.1   259   2   SOMEWHAT AGREE
          0.4   4   3   NEITHER AGREE NOR DISAGREE
          4.1   41   4   SOMEWHAT DISAGREE
          3.6   36   5   STRONGLY DISAGREE
          1.2   12   8   DO NOT KNOW
                  22   9   REFUSED - NO ANSWER

                1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 8

        Input location: 2/64

_____

A3   Medicare Ability to Pay

          The next is . . .

          Medicare recipients who can afford to pay for a larger
          share of their health care costs should be expected to do so.

        (Would you say you strongly agree, somewhat agree, somewhat disagree, or
          strongly disagree with the statement)?

          PCT   N VALUE   LABEL
         41.0   406   1   STRONGLY AGREE
         35.0   347   2   SOMEWHAT AGREE
          0.7   7   3   NEITHER AGREE NOR DISAGREE
         10.2   101   4   SOMEWHAT DISAGREE
         11.6   115   5   STRONGLY DISAGREE
          1.5   15   8   DO NOT KNOW
                  23   9   REFUSED - NO ANSWER

                1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 8

        Input location: 2/65

A4   Cutting Medicare-Medicaid

        How strongly would you favor or oppose cutting Medicare and Medicaid
        expenditures as a part of an overall strategy to reduce government
        spending?

        Would you say you strongly favor, somewhat favor, somewhat oppose, or
        strongly oppose?

         PCT   N VALUE LABEL
         6.5   64   1 STRONGLY FAVOR
        21.5   212   2 SOMEWHAT FAVOR
         1.9   19   3 NEITHER FAVOR OR OPPOSE
        21.8   215   4 SOMEWHAT OPPOSE
        45.6   450   5 STRONGLY OPPOSE
         2.6   26   8 DO NOT KNOW
                26   9 REFUSED - NO ANSWER

               1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 8

        Input location: 2/66

_____

CC1   Family Financial Status - Last Year

        [start timer2]Next, we have a few questions about how things are going
        for Michigan residents in general.

        We are interested in how people are doing these
        days. Would you say that you (and your family living
        there) are better off or worse off financially than you
        were a year ago?

         PCT   N VALUE LABEL
        49.5   492   1 BETTER OFF
        30.3   301   3 ABOUT THE SAME (R PROVIDED)
        20.2   201   5 WORSE OFF
         0.1   1   8 DO NOT KNOW
                18   9 REFUSED - NO ANSWER

               1013 cases

        Type: numeric   Min: 1   MD Codes: 9,0
        Decimals: 0   Max: 8

        Input location: 2/67

CC2   Family Financial Status - Next Year

          Now looking ahead, do you think that a year from now, you
          (and your family living there) will be better off
          financially or worse off financially?

        PCT   N VALUE LABEL
       57.6   572   1 BETTER OFF
       22.8   227   3 ABOUT THE SAME (R PROVIDED)
       16.5   164   5 WORSE OFF
        3.1   31   8 DO NOT KNOW
               19   9 REFUSED/NO ANSWER

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/68

CC3   Family Financial Status - Current

          How would you rate your household's overall financial
          situation these days?

          Would you say it is excellent, good, just fair, not so
          good, or poor?

        PCT   N VALUE LABEL
       11.7   115   1 EXCELLENT
       50.5   498   2 GOOD
       28.8   284   3 JUST FAIR
        4.8   47   4 NOT SO GOOD
        3.7   37   5 POOR
        0.5   5   8 DO NOT KNOW
               26   9 REFUSED-NO ANSWER

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 2/69

CC4   Inflation Rate

        During the next twelve months, do you think the rate of
        inflation in this country will go up, will go down, or
        will stay about the same as it was in the last 12 months?

    PCT   N VALUE   LABEL
   54.0   537   1   UP
   38.9   387   3   ABOUT THE SAME
    3.4   33   5   DOWN
    3.7   36   8   DO NOT KNOW
            20   9   REFUSE TO ANSWER

           1013 cases

   Type: numeric   Min: 1   MD Codes: 9,0
   Decimals: 0   Max: 8

   Input location: 2/70

_____

CC5   Unemployment Rate

        Twelve months from now, do you expect the unemployment
        situation in this country to be better than, worse than,
        or about the same as it was in the last 12 months?

    PCT   N VALUE   LABEL
   12.7   126   1   BETTER
   60.5   600   3   ABOUT THE SAME
   24.4   242   5   WORSE
    2.5   25   8   DO NOT KNOW
            21   9   REFUSE TO ANSWER

           1013 cases

   Type: numeric   Min: 1   MD Codes: 9,0
   Decimals: 0   Max: 8

   Input location: 2/71

CC6   Business Conditions

           Now turning to business conditions in your community, do
           you think that during the next twelve months your
           community will have good times financially, or
           bad times, or something else?

        PCT   N VALUE LABEL
       59.0   578   1 GOOD TIMES
       20.2   198   3 NEITHER GOOD NOR BAD; MEDIOCRE STAY THE SAME(R PRO
       11.8   116   5 BAD TIMES
        2.0   19   7 OTHER: MISCELLANEOUS
        7.0   68   8 DO NOT KNOW (not really sure)
                 34   9 REFUSED-NO ANSWER

               1013 cases

       Type: numeric   Min: 1   MD Codes: 9,0
       Decimals: 0   Max: 8

       Input location: 2/72

_____

ID3   Case Identification Number

       1013 cases

       Type: numeric   Min: 10005   MD Codes: none
       Decimals: 0   Max: 70572

       Input location: 3/1-5

_____

R3   Data Record III

        PCT   N VALUE LABEL
       100.0   1013   3

               1013 cases

       Type: numeric   Min: 3   MD Codes: none
       Decimals: 0   Max: 3

       Input location: 3/6

PO1   Clinton Rating

        Now, I have a few questions about the performance of
        various public officials. In general, how would you rate the
        way Bill Clinton is performing his job as President --
        would you say excellent, good, fair, or poor?

     PCT   N VALUE LABEL
     5.8   58   1 EXCELLENT
    27.5   271   2 GOOD
    44.0   434   3 FAIR
    20.7   204   4 POOR
     2.0   20   8 DON'T KNOW
             26   9 REFUSED-NO ANSWER

            1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 3/7

PO2   Engler Rating

        How would you rate the way John Engler is performing
        his job as Michigan's governor -- (would you say excellent, good,
        fair, or poor?)

     PCT   N VALUE LABEL
     9.9   98   1 EXCELLENT
    34.8   344   2 GOOD
    30.4   301   3 FAIR
    22.6   223   4 POOR
     2.3   23   8 DON'T KNOW
             24   9 REFUSED-NO ANSWER

            1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 3/8

CD16   Employment Status

          Finally, I just have a few more background questions.

          We are interested in learning about the different ways people may
          earn their living. Last week, were you working full-time, part-time,
          going to school, a home-maker or something else?

```
     PCT     N  VALUE  LABEL
     0.4     4      0  SELF EMPLOYED EITHER FULL OR PART TIME
    46.5   462      1  WORK FULL TIME
    10.0    99      2  WORK PART TIME
     3.5    35      3  WORK AND GO TO SCHOOL
     0.1     1      5  HAVE A JOB, BUT NOT AT WORK LAST WEEK (ON VACATION
     0.9     9      6  UNEMPLOYED, LAID OFF, LOOK FOR WORK
    16.3   162      7  RETIRED
     5.8    57      8  SCHOOL
    11.9   118      9  HOME-MAKER
     1.7    17     10  DISABLED
     2.7    26     97  OTHER
     0.2     2     98  DO NOT KNOW
            20     99  REFUSED - NO ANSWER
          ----
          1013 cases
```

     Type: numeric   Min: 0   MD Codes: 99
     Decimals: 0   Max: 98

     Input location: 3/9-10

_____

CD17   Number Jobs

          Do you currently work for pay at more than one job?

```
     PCT     N  VALUE  LABEL
    13.1    82      1  YES
    86.9   544      5  NO
           385      0  NOT APPLICABLE
             2      9  REFUSED - NO ANSWER
          ----
          1013 cases
```

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 5

     Input location: 3/11

CD18   Hours Main Job

          On average, how many hours per week do you work at your
          main job?

     1013 cases

     Type: numeric   Min: 1   MD Codes: 99,0
     Decimals: 0   Max: 98

     Input location: 3/12-13

_____

CD19   Hours Other Jobs

          On average, how many hours per week do you work at any
          jobs other than your main job?

       PCT   N VALUE LABEL
       8.8   7   1 HOURS PER WEEK
       4.8   4   2
       1.3   1   3
       4.1   3   4
       5.1   4   5
       3.6   3   6
       0.9   1   7
       2.5   2   8
       1.6   1   9
      10.7   9   10
       4.0   3   12
       0.9   1   14
       1.6   1   15
       2.1   2   16
      24.3   20   20
       0.9   1   24
       6.4   5   25
      11.3   9   30
       0.2   0   35
       1.7   1   40 HOURS PER WEEK
       3.4   3   98 DO NOT KNOW
               931   0 NOT APPLICABLE

             1013 cases

     Type: numeric   Min: 1   MD Codes: 99,0
     Decimals: 0   Max: 98

     Input location: 3/14-15

CD20   Looking for Work

          I'd like to ask you a couple of additional questions about
          your employment status.

          Have you been actively looking for work?

     PCT   N VALUE LABEL
     67.9   6   1 YES
     32.1   3   5 NO
          1004   0 NOT APPLICABLE

          1013 cases

   Type: numeric   Min: 1   MD Codes: 9,0
   Decimals: 0   Max: 5

   Input location: 3/16

_____

CD21   Main Job Code

          In your main (last) job, what kind of work do (did) you
          normally do? That is, what is (was) your job called?

   1013 cases

   Type: numeric   Min: 29   MD Codes: 9999,0
   Decimals: 0   Max: 9998

   Input location: 3/17-20

_____

CD22   Employment Status

          In your main (last) job, are (were) you self-employed or
          do (did) you work for someone else?

     PCT   N VALUE LABEL
     10.5 101   1 SELF-EMPLOYED
     88.9 855   5 WORK FOR SOMEONE ELSE
      0.6   6   8 DO NOT KNOW
            25   0
            26   9 REFUSED - NO ANSWER

          1013 cases

   Type: numeric   Min: 1   MD Codes: 9,0
   Decimals: 0   Max: 8

   Input location: 3/21

CD23   Employment Pay Scale

        (In your main job, At your last) (do/did) you work for an hourly wage,
        an annual salary, or something else?

        PCT   N VALUE LABEL
       59.3   569   1 HOURLY WAGE
       26.6   256   3 ANNUAL SALARY
        2.4   23   5 ON COMMISSION (R PROVIDED)
       11.2   107   7 OTHER
        0.5   5   8 DO NOT KNOW
               25   0 NOT APPLICABLE
               29   9 REFUSED TO ANSWER

              1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 3/22

_____

CD6   Religious Affiliation

        What is the religious group which you feel most closely
        represents your religious views? (Is it Catholic,
        Islamic, Jewish, Protestant, some other religion, or no
        religion)?

        PCT   N VALUE LABEL
       11.0   106   0 NONE; NO RELIGIOUS GROUP
       33.0   317   1 CATHOLIC; ROMAN CATHOLIC, ORTHODOX
        0.1   1   2 ISLAMIC
        1.4   13   3 JEWISH
       52.0   500   4 PROTESTANT (includes Baptist, Lutheran, Presbyterian
        1.2   12   5 OTHER NON-CHRISTIAN (Hindu, Buddhist)
        1.4   13   8 DO NOT KNOW
               51   9 REFUSED - NO ANSWER

              1013 cases

     Type: numeric   Min: 0   MD Codes: 9
     Decimals: 0   Max: 8

     Input location: 3/23

CD12   Marital Status

        Are you currently remarried, married, divorced, separated,
        widowed, member of an unmarried couple, or have you
        never been married?

     PCT   N VALUE LABEL
     4.9   48   0 REMARRIED
    52.6   519   1 MARRIED
     9.6   95   2 DIVORCED
     2.5   25   3 SEPARATED
     6.4   64   4 WIDOWED
     1.7   17   5 MEMBER OF AN UNMARRIED COUPLE
    22.3   220   6 SINGLE, NEVER BEEN MARRIED
            26   99 REFUSED TO ANSWER

           1013 cases

  Type: numeric   Min: 0   MD Codes: 99
  Decimals: 0   Max: 6

  Input location: 3/24-25

CD3   Education

        What is the highest level of education that you
        have completed?

      IWER: IF R IS A FIFTH YEAR SENIOR OR HAS GONE LONGER THAN
                  FOUR YEARS BUT IS WITHOUT A DEGREE, CODE AS '13'

```
  PCT    N  VALUE  LABEL
  0.1    1      0  DID NOT GO TO SCHOOL
  0.4    4      3
  0.0    0      5
  0.1    1      6
  0.5    5      7
  1.0   10      8
  1.2   12      9
  2.0   20     10
  4.0   40     11  GRADE
 34.4  341     12  HIGH SCHOOL GRADUATE OR GED HOLDER
  9.0   89     13  SOME COLLEGE (ONE TO THREE YEARS)
 14.0  139     14
  4.5   44     15  SOME COLLEGE (ONE TO THREE YEARS)
 15.1  149     16  COLLEGE GRADUATE  (FOUR YEARS)
  3.6   36     17  SOME POST GRADUATE
  8.1   81     18  GRADUATE DEGREE
  1.9   19     20  TECHNICAL SCHOOL OR JUNIOR COLLEGE GRADUATE
  0.0    0     98  DO NOT KNOW
        21     99  REFUSE TO ANSWER
       ----
       1013 cases
```

Type: numeric   Min: 0   MD Codes: 99
Decimals: 0   Max: 98

Input location: 3/26-27

CD4   Racial Background

       Which of the following describes your racial background?
       Would you say African-American (or Black), Asian or Pacific
       Islander, Native American, or White (or Caucasian)?

     PCT   N VALUE LABEL
     8.5   84   1 AFRICAN-AMERICAN OR BLACK
     0.9   9   2 ASIAN OR PACIFIC ISLANDER
     2.0   19   3 NATIVE AMERICAN
    87.2   859   4 WHITE OR CAUCASIAN
     0.2   2   5 BI-RACIAL
     1.2   12   7 OTHER-NEC
     0.0   0   8 DO NOT KNOW
            27   9 REFUSED TO ANSWER

           1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 3/28

CD5   Ethnicity

       Are you of Hispanic origin or descent, such as Spanish,
       Mexican, Puerto Rican, Cuban, or another Latin American
       background?

     PCT   N VALUE LABEL
     3.8   38   1 YES
    95.2   941   5 NO
     1.0   9   8 DO NOT KNOW
            25   9 REFUSED TO ANSWER

           1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 3/29

CD7   Party Affiliation

        Generally speaking, do you think of yourself as a
        Republican, a Democrat, an Independent or what?

     PCT   N VALUE LABEL
     7.5   72   0 OTHER
    26.8   258   1 REPUBLICAN
    32.9   317   4 INDEPENDENT
    29.5   284   7 DEMOCRAT
     3.3   32   8 DO NOT KNOW
             50   9 REFUSE TO ANSWER

            1013 cases

    Type: numeric   Min: 0   MD Codes: 9
    Decimals: 0   Max: 8

    Input location: 3/30

_____

CD7A   Intensity - Republican

        Would you call yourself a strong Republican or a not very
        strong Republican?

     PCT   N VALUE LABEL
    51.3   132   1 STRONG REPUBLICAN
    48.0   124   2 NOT A VERY STRONG REPUBLICAN
     0.7   2   8 DO NOT KNOW
            755   0 NOT APPLICABLE

            1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 3/31

CD7B   Intensity Democratic

          Would you call yourself a strong Democrat or a not very
          strong Democrat?

     PCT   N VALUE LABEL
    48.9   139   6 NOT A VERY STRONG DEMOCRAT
    48.0   136   7 STRONG DEMOCRAT
     3.1   9   8 DO NOT KNOW
           729   0 NOT APPLICABLE

          1013 cases

    Type: numeric   Min: 6   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 3/32

CD7C   Independent Identity

          Do you generally think of yourself as closer to the
          Democratic Party or the Republican Party?

     PCT   N VALUE LABEL
    27.2   84   3 REPUBLICAN
    35.4   110   4 NEITHER (R PROVIDED)
    34.3   106   5 DEMOCRAT
     3.1   9   8 DO NOT KNOW
           696   0 NOT APPLICABLE
             6   9 REFUSE TO ANSWER

          1013 cases

    Type: numeric   Min: 3   MD Codes: 9,0
    Decimals: 0   Max: 8

    Input location: 3/33

ptid   Party Id Collapsed

```
     PCT    N  VALUE  LABEL
     7.6    72     0  OTHER
    13.8   132     1  STRONG REPUBLICAN
    12.9   124     2  NOT STRONG REP
     8.8    84     3  LEAN REPUBLICAN
    11.5   110     4  NEITHER
    11.1   106     5  LEAN DEMOCRAT
    14.5   139     6  NOT STRONG DEM
    14.2   136     7  STRONG DEM
     5.5    52     8  DO NOT KNOW
            57     9  REFUSED
           ----
          1013 cases
```

    Type: numeric   Min: 0   MD Codes: 9
    Decimals: 0   Max: 8

    Input location: 3/34

CD13   Housing Status

        Do you rent or do you own your own home?

```
     PCT    N  VALUE  LABEL
    22.1   219     1  RENT
    73.1   723     5  OWN (INCLUDES PAYING MORTGAGE CURRENTLY)
     4.8    47     7  OTHER
            23     9  REFUSE TO ANSWER
           ----
          1013 cases
```

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 7

    Input location: 3/35

CD15   Home Value

        What is your home's approximate market value -- that is,
        what could you sell your home for now?

    1013 cases

    Type: numeric   Min: 5000   MD Codes: 999999999,0
    Decimals: 0   Max: 999999998

    Input location: 3/36-44

INC1 $30,000

        To get a picture of people's financial situations, we'd
        like to know the general range of incomes of all
        households we interview. This is for statistical analysis
        purposes and your answers will be kept strictly
        confidential. Now, thinking about your household's total
        annual income from all sources (including your job), did
        your household receive $30,000 or more in 1994?

      PCT   N VALUE LABEL
     63.8   563   1 YES ($30,000 OR MORE)
     32.2   284   5 NO   (LESS THAN $30,000)
      4.0   35   98 DON'T KNOW-NO OPINION
            131   99 REFUSED-NO ANSWER

           1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/45-46

INC2 $20,000

        Was it $20,000 or more?

      PCT   N VALUE LABEL
     52.2   147   1 YES ($20,000 - 29,999)
     43.9   124   5 NO   (LESS THAN $20,000)
      3.9   11   98 DON'T KNOW-NO OPINION
            729   0 NOT APPLICABLE
              2   99 REFUSED-NO ANSWER

           1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/47-48

inca $25,000

          Was it $25,000 or more?

     PCT   N VALUE LABEL
    44.1   64   1 YES ($25,000 - 29,999)
    54.3   78   5 NO   (LESS THAN $25,000)
     1.6   2   98 DON'T KNOW-NO OPINION
           866   0 NOT APPLICABLE
             3   99 REFUSED-NO ANSWER

          1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/49-50

INC3 $10,000

          Was it $10,000 or more?

     PCT   N VALUE LABEL
    60.1   74   1 YES ($10,000 - 19,999)
    35.7   44   5 NO   (LESS THAN $10,000)
     4.2   5   98 DON'T KNOW-NO OPINION
           889   0 NOT APPLICABLE
             1   99 REFUSED-NO ANSWER

          1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/51-52

---

incb $15,000

          Was it $15,000 or more?

     PCT   N VALUE LABEL
    39.9   29   1 YES ($15,000 - 19,999)
    60.1   44   5 NO   (LESS THAN $15,000)
           939   0 NOT APPLICABLE
             0   99 REFUSED-NO ANSWER

          1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 5

    Input location: 3/53-54

INC4 $60,000

        Was it $60,000 or more?

    PCT   N VALUE LABEL
   39.1   218   1 YES
   59.1   330   5 NO   (MORE THAN $30,000 LESS THAN $60,000)
    1.8   10   98 DON'T KNOW-NO OPINION
          450   0 NOT APPLICABLE
            4   99 REFUSED-NO ANSWER

          1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/55-56

_____

INC5 $40,000

        Was it $40,000 or more?

    PCT   N VALUE LABEL
   54.7   179   1 YES   ($40,000 OR MORE)
   43.4   142   5 NO   ($30,000 - 39,999)
    1.9   6   98 DON'T KNOW-NO OPINION
          683   0 NOT APPLICABLE
            2   99 REFUSED-NO ANSWER

          1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/57-58

incc $35,000

        Was it $35,000 or more?

     PCT   N VALUE LABEL
    51.2   73   1 YES   ($35,000 - 39,999)
    46.1   65   5 NO   ($30,000 - 34,999)
     2.7   4   98 DON'T KNOW-NO OPINION
           871   0 NOT APPLICABLE
             1   99 REFUSED-NO ANSWER

          1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/59-60

_____

INC6 $50,000

        Was it $50,000 or more?

     PCT   N VALUE LABEL
    31.4   56   1 YES   ($50,000 - 59,999)
    67.3   120   5 NO   ($40,000 - 49,999)
     1.3   2   98 DON'T KNOW/NO OPINION
           834   0 NOT APPLICABLE
             0   99 REFUSED/NO ANSWER

          1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/61-62

INC7 $80,000

        Was it $80,000 or more?

     PCT   N VALUE LABEL
     53.7   116   1 YES   ($80,000 OR MORE)
     45.1   98   5 NO   ($60,000 - 79,999)
      1.1   2   98 DON'T KNOW-NO OPINION
            795   0 NOT APPLICABLE
              2   99 REFUSED-NO ANSWER

            1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/63-64

INC8 $70,000

        Was it $70,000 or more?

     PCT   N VALUE LABEL
     38.9   38   1 YES   ($70,000 - 79,999)
     59.6   58   5 NO   ($60,000 - 69,999)
      1.5   1   98 DON'T KNOW-NO OPINION
            915   0 NOT APPLICABLE

            1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/65-66

INC9 $100,000

        Was it $100,000 or more?

     PCT   N VALUE LABEL
     54.8   64   1 YES   ($100,000 OR MORE)
     44.9   52   5 NO   ($80,000 - 99,999)
      0.3   0   98 DON'T KNOW-NO OPINION
            897   0 NOT APPLICABLE

            1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 98

    Input location: 3/67-68

NC10 $90,000

          Was it $90,000 or more?

      PCT   N VALUE LABEL
     41.4   21   1 YES   ($90,000 - 99,999)
     58.6   30   5 NO   ($80,000 - 89,999)
            961   0 NOT APPLICABLE
              1   99 REFUSED-NO ANSWER

           1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 5

    Input location: 3/69-70
_____

NC11 $110,000

          Was it $110,000 or more?

      PCT   N VALUE LABEL
     64.2   41   1 YES   ($110,000 OR MORE)
     35.8   23   5 NO   ($100,000 - 109,999)
            949   0 NOT APPLICABLE

           1013 cases

    Type: numeric   Min: 1   MD Codes: 99,0
    Decimals: 0   Max: 5

    Input location: 3/71-72

INC   Income Collapsed

```
     PCT     N  VALUE   LABEL
     5.3    44      1   $10,000 or less
     5.4    44      2   $10,000 -  14,999
     3.6    29      3   $15,000 -  19,999
     9.6    78      4   $20,000 -  24,999
     7.8    64      5   $25,000 -  29,999
     8.0    65      6   $30,000 -  34,999
     8.9    73      7   $35,000 -  39,999
    14.7   120      8   $40,000 -  49,999
     6.8    56      9   $50,000 -  59,999
     7.1    58     10   $60,000 -  69,999
     4.6    38     11   $70,000 -  79,999
     3.7    30     12   $80,000 -  89,999
     2.6    21     13   $90,000 -  99,999
     2.8    23     14   $100,000 - 109,999
     5.0    41     15   $110,000 or more
     4.3    35     98   DON'T KNOW
           193     99   REFUSED
           ----
          1013 cases
```

```
     Type: numeric     Min:  1          MD Codes: 99
     Decimals:   0     Max: 98
```

     Input location: 3/73-74

ID4   Case ID

     1013 cases

```
     Type: numeric     Min: 10005       MD Codes: none
     Decimals:   0     Max: 70572
```

     Input location: 4/1-5

R4   Data Record IV

```
     PCT     N  VALUE   LABEL
    100.0  1013      4
           ----
          1013 cases
```

```
     Type: numeric     Min: 4           MD Codes: none
     Decimals:   0     Max: 4
```

     Input location: 4/6

CD25   Income Main Job

         What is the gross annual income from your main job --
         that is, before taxes or other deductions?

         IWER: DOUBLE CHECK YOUR ENTRY HERE

    1013 cases

    Type: numeric   Min: 8   MD Codes: 9999999,0
    Decimals: 0   Max: 9999998

    Input location: 4/7-13

CD26   Phone Numbers

         How many phone numbers does your household
         have (that is, how many separate phone lines
         --additional household phone numbers)?

      PCT   N VALUE LABEL
     92.1   910   1 DIFFERENT PHONE NUMBERS
      7.1   70   2
      0.6   6   3
      0.2   2   4
      0.0   0   5
      0.1   1   6
      0.0   0   7
             24   9 REFUSED

          1013 cases

    Type: numeric   Min: 1   MD Codes: 9,0
    Decimals: 0   Max: 7

    Input location: 4/14

I2a   Medicare HMO

         Are you enrolled in a Medicare HMO (Health Maintenance Organization)?

        PCT   N VALUE   LABEL
        8.2   11   1   YES
       87.2   114   5   NO
        4.6   6   8   DO NOT KNOW
               881   0   NOT APPLICABLE
                 1   9   REFUSED

               1013 cases

     Type: numeric   Min: 1   MD Codes: 9,0
     Decimals: 0   Max: 8

     Input location: 4/15

_____

FNL1   Final Disposition Code

        PCT   N VALUE   LABEL
       85.8   869   1   INITIAL COMPLETE
        1.8   18   2   PARTIAL INTERVIEW
       12.4   126   3   REFUSAL CONVERSION

               1013 cases

     Type: numeric   Min: 1   MD Codes: none
     Decimals: 0   Max: 3

     Input location: 4/16-17

DAT1   Interview Date

       PCT   N   VALUE   LABEL
       1.1   11   101395
       2.3   23   101495
       8.5   85   101595
       5.2   52   101695
       4.4   44   101795
       3.7   37   101895
       4.7   47   101995
       2.9   29   102095
       7.5   75   102195
       5.8   58   102295
       2.9   29   102395
       5.6   56   102495
       7.5   75   102595
       3.9   39   102695
       1.2   12   102795
       3.9   39   102895
       3.2   32   102995
       1.7   17   103095
       3.1   31   103195
       4.6   46   110195
       1.1   11   110295
       1.6   16   110395
       1.3   13   110495
       2.2   22   110595
       3.7   37   110695
       2.6   26   110795
       1.6   16   110895
       2.4   24   110995
       0.1   1   111095
              11   0 MISSING

             1013 cases

     Type: numeric   Min: 101395   MD Codes: 0
     Decimals: 0   Max: 111095

     Input location: 4/18-23

TCT1   Contact to Completion

        PCT   N VALUE   LABEL
      21.5   215   1
      20.8   208   2
      12.9   130   3
       8.1   81   4
       5.7   57   5
       5.7   57   6
       4.3   43   7
       4.5   46   8
       3.3   33   9
       1.9   19   10
       2.6   26   11
       2.3   23   12
       1.0   10   13
       0.5   5   14
       0.5   5   15
       0.6   6   16
       0.2   2   17
       0.5   5   18
       0.5   5   19
       1.1   11   20
       0.1   1   21
       0.4   4   22
       0.1   1   23
       0.4   4   27
       0.1   1   31
       0.1   1   40
              12   0 Missing

             1013 cases

     Type: numeric   Min: 1   MD Codes: 0
     Decimals: 0   Max: 40

     Input location: 4/24-25

_____

INV1   Interviewer Number

     1013 cases

     Type: numeric   Min: 75   MD Codes: 0
     Decimals: 0   Max: 602

     Input location: 4/26-28

TIM1   Length of Interview

```
    PCT      N   VALUE   LABEL
    0.1      1       0
    0.2      2       1
    0.1      1       4
    0.0      0       6
    0.1      1       9
    0.1      0      10
    1.3     12      11
    2.7     26      12
    6.7     66      13
   11.6    114      14
   11.4    113      15
   17.6    173      16
    9.1     89      17
    8.6     85      18
    6.8     67      19
    6.8     67      20
    4.1     40      21
    2.6     26      22
    3.7     36      23
    1.6     16      24
    1.0     10      25
    1.3     13      26
    0.4      4      27
    0.4      4      28
    0.3      3      29
    0.3      3      30
    0.3      3      31
    0.3      3      32
    0.1      1      33
    0.1      1      34
    0.1      1      36
    0.0      0      40
    0.2      2      42
    0.1      1      55
            29      99
           ----
           1013 cases
```

    Type: numeric   Min: 0   MD Codes: 99
    Decimals: 0   Max: 55

    Input location: 4/29-32

AGE   Respondents Age

      1013 cases

      Type: numeric   Min: 18   MD Codes: 999,998
      Decimals: 0   Max: 93

      Input location: 4/34-36

_____

AGECAT   Respondents Age in Categories

        PCT   N VALUE   LABEL
       14.7   148   1 18 - 24 Yrs
       11.3   113   2 25 - 29 Yrs
       22.8   228   3 30 - 39 Yrs
       17.2   172   4 40 - 49 Yrs
       11.9   119   5 50 - 59 Yrs
        5.8   58   6 60 - 64 Yrs
       16.3   164   7 65 or older
                 11   0 REFUSED

               1013 cases

      Type: numeric   Min: 1   MD Codes: 0
      Decimals: 0   Max: 7

      Input location: 4/40

_____

RACE   Respondents Race in 3 Categories

        PCT   N VALUE   LABEL
       84.8   859   1 White
       12.4   125   2 African American
        2.8   28   3 Other

               1013 cases

      Type: numeric   Min: 1   MD Codes: 0,9
      Decimals: 0   Max: 3

      Input location: 4/41

MSUEREGN   MSU Extension Region Code

```
   PCT     N  VALUE   LABEL
   3.4    35      1   UP
   4.3    44      2   North LP
  13.4   135      3   W. Central
   8.6    88      4   E. Central
  14.2   144      5   Southwest
  56.1   568      6   Southeast Urban
         ----
        1013 cases
```

    Type: numeric   Min: 1   MD Codes: none
    Decimals: 0   Max: 6

    Input location: 4/44

_____

newregn2   Region Coded by County

```
   PCT     N  VALUE   LABEL
   3.4    35      1   UP
   4.3    44      2   North LP
  13.4   135      3   W. Central
   8.6    88      4   E. Central
  14.2   144      5   Southwest
  45.5   461      6   Southeast Urban
  10.6   107      7   Detroit
         ----
        1013 cases
```

    Type: numeric   Min: 1   MD Codes: none
    Decimals: 0   Max: 7

    Input location: 4/45

_____

MSUEWT   Weight variable for MSU extension region

    1013 cases

    Type: numeric   Min: 0.0579   MD Codes: 0.0000
    Decimals: 4   Max: 7.1541

    Input location: 4/46-51

STATEWT   Weight variable for statewide Analyses

    1013 cases

    Type: numeric   Min: 0.0312   MD Codes: 0.0000
    Decimals: 4   Max: 9.3256

    Input location: 4/53-58

ADJWT   Weight variable for Regional Analyses w/

    1013 cases

    Type: numeric   Min: 0.0579   MD Codes: none
    Decimals: 4   Max: 7.1541

    Input location: 4/60-65